



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Virginia's Medicaid Pharmacy Benefits Management System

Phone: 800-932-6648 Fax: 800-932-6651

General Information:

- Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary only includes select drug classes, other classes will pay such as but not limited to diuretics, many cardiac agents, many antibiotics etc.
- PDL preferred drugs do not require Service Authorizations (SA) unless subject to additional clinical criteria (e.g., long-acting opioids, hepatitis C therapies, growth hormone)
 - Non-preferred drugs require a SA
- Drugs not on the PDL are subject to Virginia's mandatory generic substitution requirements.
 - SAs may be submitted by fax, phone or WebPA, e-PA. For urgent requests, please call **800-932-6648**. Fax requests receive a response within 24 hours.

PDL drug coverage information can be found at <http://www.VirginiaMedicaidPharmacyServices.com>. The following "routine" PDL criteria guidelines will be applied to all non-preferred drugs.

1. Is there any reason the member cannot be changed to a preferred drug within the same class? Acceptable reasons include:
 - Allergy to preferred drug.
 - Contraindication to or drug-to-drug interaction with preferred drug.
 - History of unacceptable/toxic side effects to preferred drug.
 - Member's condition is clinically stable; changing to a preferred drug might cause deterioration of the member's condition.
2. The requested drug may be approved if both of the following are true:
 - There has been a therapeutic failure of at least **two** preferred drugs **within the same class as appropriate for diagnosis unless otherwise noted in the clinical criteria**. A therapeutic failure of only one preferred drug is required when there is only one preferred drug within a therapeutic class.
 - The requested drug's corresponding generic (if a generic is available **and** covered by the State) has been attempted and failed or is contraindicated.

All changes from the last post will be highlighted in yellow.

Drugs highlighted in blue indicate where brand is preferred over generic.

LEGEND

AGE = age edit

CE = clinical edit

ST = step edit

QL = quantity limit

cap = capsule

cr = cream

ER = extended release

inj = injection

IR = immediate release

ODT = oral disintegrating tab

oint = ointment

soln = solution

supp = suppository

susp = suspension

tab = tab

♦ = Clinical Utilization Edit

Preferred Agents		Non-Preferred Agents	SA Criteria
Analgesics			
*♦ Opioids – Long Acting (LAO)			
Preferred (Sch III-VI)	Non-Preferred	*All Long-Acting Opioids (preferred and non-preferred) require submission of a Clinical SA. Refer to combined short/long-acting opioid SA form (Short & Long Acting Opioid SA Form) <u>LENGTH OF AUTHORIZATIONS</u> - Up to 3 months for (includes HIV/AIDS, Chronic back pain, Arthritis, Fibromyalgia, Diabetic neuropathy, Postherpetic Neuralgia). - Up to 6 months for chronic pain (includes Cancer pain, Sickle cell disease, Palliative care, End-of-Life Care, Hospice).	
Butrans® (buprenorphine) Transdermal Patch	<i>Belbuca (buprenorphine buccal film)</i> <i>buprenorphine (gen Butrans®)</i> <i>buprenorphine (gen Belbuca)</i> <i>ConZip® (tramadol ER)</i> <i>Ryzolt™ (tramadol ER)</i> <i>tramadol ER</i> <i>Ultram ER® (tramadol ER)</i>		
Preferred (Sch II)	Non-Preferred	Daily dose limits have been established for all LAO. Quantity limits can be found at: Daily Dose Limits for Short & Long Acting Opioids	
fentanyl 12, 25, 50, 75 & 100 mcg patches morphine sulfate ER tab	<i>Arymo™ER</i> <i>Embeda</i> <i>Exalgo®</i> <i>fentanyl 37.5 mcg, 62.5 mcg, and 87.5 mcg patches</i> <i>hydromorphone ER</i> <i>Hysingla ER™</i> <i>Kadian® ER</i> <i>Morphabond™ ER</i> <i>morphine ER cap (generic Avinza®)</i> <i>morphine ER cap (generic Kadian®)</i> <i>MS Contin®</i> <i>Oramorph® SR®</i> <i>oxycodone-long acting</i> <i>OxyContin®</i> <i>oxymorphone ER</i> <i>Xartemis™ XR</i> <i>Zohydro ER™</i>		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
*Methadone Drugs			*Methadone requires the completion of the Clinical SA form (Methadone SA Form) unless prescribed for neonatal abstinence syndrome for an infant under the age of one.
		Dolophine® Methadose® oral soln & tab methadone oral soln & tab	
*♦ Opioids – Short Acting			
*Transmucosal Immediate Release Fentanyl			LENGTH OF AUTHORIZATIONS: - Up to 3 months for (includes HIV/AIDS, Chronic back pain, Arthritis, Fibromyalgia, Diabetic neuropathy, Postherpetic Neuralgia). - Up to 6 months for chronic pain (includes Cancer pain, Sickle cell disease, Palliative care, End-of-Life Care, Hospice).
		Fentora® fentanyl citrate Lazanda® Subsys®	
Short-Acting Opioids			*All Short-Acting Opioids (preferred and non-preferred) require the submission of a Clinical SA if prescribed for > 7 days or if more than two 7-day supply prescriptions within 60 days. Refer to combined short/long-acting opioid SA form (Short & Long Acting Opioid SA Form)
codeine/APAP hydrocodone/APAP hydrocodone/ibuprofen hydromorphone morphine IR oxycodone IR oxycodone/APAP tramadol HCl 50mg tramadol HCl/APAP	Abstral® Apadaz™ codeine tab/soln butalbital comp with codeine butalbital/caffeine/APAP w/codeine butorphanol tartrate nasal dihydrocodeine/APAP/caffeine dihydrocodeine/ASA/caffeine hydromorphone liq/supp meperidine tab morphine supp Oxaydo® oxycodone/APAP(gen PrimLev™) oxycodone conc oxycodone oral syringe oxycodone/ASA oxycodone/ibuprofen oxymorphone HCl Panlor® pentazocine/naloxone PrimLev™		



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria																											
		<i>RoxyBondTM</i> <i>Seglents[®]</i> <i>tramadol 25mg, 75mg, 100 Mg</i> <i>tramadol soln (AG for Qdolo[®])</i> <i>Ultracet[®]</i> <i>Ultram[®]</i> <i>Zamicet[®] soln</i>																												
♦ Opioid Dependency		CLOSED CLASS																												
*buprenorphine SL buprenorphine/naloxone tab SL Brixadi TM Suboxone [®] film Sublocade TM SQ Kloxxado TM Spray naloxone syringe & vial naloxone nasal spray naloxone nasal spray OTC Naloxone Carpuject naltrexone tab Narcan [®] Nasal Spray Rx/OTC Opvee [®] Rextovy TM Nasal Spray Vivitrol [®] Zimhi TM	*buprenorphine/naloxone film SL *Probuphine [®] implant *Zubsolv TM **Lucemyra [®] **lofexidine	*Buprenorphine Containing Drugs require submission of Clinical SA. Refer (Oral Buprenorphine SA Form) **Lucemyra/lofexidine (PDL criteria do not apply) -Member is 18 years of age or older AND -Medication used for the mitigation of opioid withdrawal symptoms to facilitate abrupt opioid discontinuation Limitation: No more than one (14 day) treatment course every 6 months Quantity Limits <table><tr><td>buprenorphine SL tab 2mg</td><td>3/day</td></tr><tr><td>buprenorphine SL tab 8mg</td><td>2/day</td></tr><tr><td>buprenorphine/naloxone SL tab 2–0.5mg</td><td>3/day</td></tr><tr><td>buprenorphine/naloxone SL tab 8–2mg</td><td>3/day</td></tr><tr><td>buprenorphine/naloxone SL film 2–0.5mg</td><td>3/day</td></tr><tr><td>buprenorphine/naloxone SL film 4–1mg</td><td>1/day</td></tr><tr><td>buprenorphine/naloxone SL film 8–2mg</td><td>3/day</td></tr><tr><td>Suboxone[®] SL film 2–0.5mg</td><td>3/day</td></tr><tr><td>Suboxone[®] SL film 4–1mg</td><td>1/day</td></tr><tr><td>Suboxone[®] SL film 8–2mg</td><td>3/day</td></tr><tr><td>Suboxone[®] SL film 12–3mg</td><td>2/day</td></tr><tr><td>ZubsolvTM SL tab 0.7–0.18 mg</td><td>2/day</td></tr><tr><td>ZubsolvTM SL tab 1.4–0.36mg</td><td>2/day</td></tr><tr><td>ZubsolvTM SL tab 2.9–0.71mg</td><td>2/day</td></tr></table>	buprenorphine SL tab 2mg	3/day	buprenorphine SL tab 8mg	2/day	buprenorphine/naloxone SL tab 2–0.5mg	3/day	buprenorphine/naloxone SL tab 8–2mg	3/day	buprenorphine/naloxone SL film 2–0.5mg	3/day	buprenorphine/naloxone SL film 4–1mg	1/day	buprenorphine/naloxone SL film 8–2mg	3/day	Suboxone [®] SL film 2–0.5mg	3/day	Suboxone [®] SL film 4–1mg	1/day	Suboxone [®] SL film 8–2mg	3/day	Suboxone [®] SL film 12–3mg	2/day	Zubsolv TM SL tab 0.7–0.18 mg	2/day	Zubsolv TM SL tab 1.4–0.36mg	2/day	Zubsolv TM SL tab 2.9–0.71mg	2/day
buprenorphine SL tab 2mg	3/day																													
buprenorphine SL tab 8mg	2/day																													
buprenorphine/naloxone SL tab 2–0.5mg	3/day																													
buprenorphine/naloxone SL tab 8–2mg	3/day																													
buprenorphine/naloxone SL film 2–0.5mg	3/day																													
buprenorphine/naloxone SL film 4–1mg	1/day																													
buprenorphine/naloxone SL film 8–2mg	3/day																													
Suboxone [®] SL film 2–0.5mg	3/day																													
Suboxone [®] SL film 4–1mg	1/day																													
Suboxone [®] SL film 8–2mg	3/day																													
Suboxone [®] SL film 12–3mg	2/day																													
Zubsolv TM SL tab 0.7–0.18 mg	2/day																													
Zubsolv TM SL tab 1.4–0.36mg	2/day																													
Zubsolv TM SL tab 2.9–0.71mg	2/day																													

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria	
			Zubsolv™ SL tab 5.7–1.4mg	2/day
			Zubsolv™ SL tab 8.6–2.1mg	2/day
			Zubsolv™ SL tab 11.4–2.9mg	2/day
Non-Steroidal Anti-Inflammatory Drugs (NSAIDs)				
Oral NSAIDs		LENGTH OF AUTHORIZATIONS: 1 year		
Children's Motrin® susp (OTC) diclofenac sodium ibuprofen cap ibuprofen tab 100mg, 200mg, 400mg, 600mg, 800mg (OTC & Rx) Infant's ibuprofen drops meloxicam tab naproxen tab naproxen sodium (OTC) naproxen EC (Rx) sulindac	<i>Anaprox® IR & DS®</i> <i>Advil®</i> <i>Aleve®</i> <i>Arthrotec®</i> <i>Cataflam®</i> <i>*Celebrex® & *celecoxib</i> <i>Daypro®</i> <i>diclofenac potassium</i> <i>diclofenac potassium gen Zipsor™</i> <i>diclofenac sodium ER</i> <i>diclofenac sodium/misoprostol</i> <i>diflunisal</i> <i>Duexis®</i> <i>etodolac IR & SR</i> <i>Feldene®</i> <i>fenoprofen</i> <i>flurbiprofen</i> <i>ibuprofen 300mg tab</i> <i>ibuprofen tab chew OTC</i> <i>ibuprofen-famotidine (gen Duexis®)</i> <i>Indocin® supp</i> <i>indomethacin IR, SR & rectal</i> <i>ketoprofen IR & ER</i> <i>ketorolac</i> <i>ketorolac tromethamine (generic</i> <i>Sprix® nasal spray)</i> <i>meclofenamate</i> <i>mefenamic</i>	Routine PDL edits plus *Step edit required for Celebrex® and celecoxib - History of a trial of a minimum of two (2) different non-COX2 NSAIDs within the past year; OR - Concurrent use of anticoagulants (i.e., warfarin, heparin, etc.), methotrexate, oral corticosteroids; OR - History of previous GI bleed or conditions associated with GI toxicity risk factors (i.e., PUD, GERD, etc), OR - Specific indication for Celebrex® for which preferred drugs are not indicated.		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

	Preferred Agents	Non-Preferred Agents	SA Criteria
		<i>meloxicam susp</i> <i>meloxicam (generic Vivlodex™)</i> <i>Mobic® susp</i> <i>Motrin®</i> <i>nabumetone</i> <i>Nalfon®</i> <i>Naprelan®</i> <i>Naprosyn®</i> <i>naproxen CR (generic Naprelan®)</i> <i>naproxen-esomeprazole mag (generic Vimovo®)DR</i> <i>naproxen susp</i> <i>oxaprozin</i> <i>piroxicam</i> <i>Ponstel®</i> <i>Prevacid Naprapac®</i> <i>Sprix® nasal spray</i> <i>Tivorbex™</i> <i>tolmetin sodium</i> <i>Vimovo®</i> <i>Vivlodex™</i> <i>Voltaren®XR</i> <i>Zipsor®</i> <i>Zorvolex™</i>	
	Topical NSAIDs diclofenac sodium 1% gel diclofenac sodium 1% gel (OTC)	<i>*diclofenac 1.5% topical soln</i> <i>*diclofenac 2% topical soln gen</i> <i>*diclofenac epolamine 1.3% ptch(QL)</i> <i>Diclogen Kit</i> <i>*Flector® patch (QL)</i> <i>*Licart™ patch (diclofenac epolamine 0.013gm (QL)</i> <i>*Lixofen 1.5% Kit</i>	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus *Clinical Criteria for Non-Preferred Topical NSAIDs: Flector®, diclofenac epolamine 1.3% patch, diclofenac 1.5% and 2% topical sol, Licart™ patch, Lixofen 1.5% Kit Pennsaid®, & Xrylix™ Kit: Approval is based on member failing the oral generic of the desired drug and at least one other preferred NSAID (to equal a total of at least two preferred). For example, a member who failed ibuprofen or naproxen will still need to try oral diclofenac for approval of Flector®.

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

	Preferred Agents	Non-Preferred Agents	SA Criteria
		*Pennsaid® top soln, soln pkt & pump *Voltaren® 1% gel *Voltaren® 1% gel (OTC) *Xrylix™ Kit	diclofenac 1.5% and 2% topical sol, Lixofen 1.5% Kit, Pennsaid® and Xrylix™ Kit can only be approved for the FDA approved indication of osteoarthritis of the knee. Quantity limit for diclofenac epolamine 1.3%, Flector® and Licart™ patch = 30 patches per RX
Antibiotic-Anti-Infective			
*♦ Antibiotics, Inhaled (QL, AGE) CLOSED CLASS			
	Bethkis® Kitabis™ Pak **Tobi Podhaler® (SE) tobramycin inhalation neb soln (generic Tobi® inh)	***Arikayce® (amikacin liposome) Cayston® Tobi® inh neb soln tobramycin (generic Bethkis®) tobramycin Pak (generic Kitabis™ Pak)	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus **Tobi Podhaler® - Requires a clinical reason as to why one of the preferred tobramycin inhalation nebulizer solutions cannot be used ***Clinical Criteria for Arikayce® Duration of Approval: 12 months Initial Approval Criteria - Member is ≥ 18 years of age; AND - Diagnosis of Mycobacterium avium complex (MAC) lung disease as determined by the following: - chest radiography or high-resolution computed tomography (HRCT) scan; AND - at least 2 positive sputum cultures; AND - other conditions such as tuberculosis and lung malignancy have been ruled out; AND - Member has failed a multi-drug regimen with a macrolide (clarithromycin or azithromycin), rifampin, and ethambutol. (Failure is defined as continual positive sputum cultures for MAC while adhering to a multi-drug treatment regimen for a minimum duration of 6 months); AND - Member has documented failure or intolerance to aerosolized administration of amikacin solution for injection, including pretreatment with a bronchodilator; AND - Arikayce will be prescribed in conjunction with a multi-drug antimycobacterial regimen

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
		*Minimum age for use is 6 years for all tobramycin inhalation nebulizer solution (Bethkis[®], Kitabis[™] Pak, Tobi[®] and Tobi Podhaler[®]) and 7 years for Cayston[®]. Quantity Limitations: Arikayce[®]= 590 mg/8.4 Ml (28 vials)/28 days Each carton contains a 28-day supply of medication (28 vials) Bethkis[®] = 224Ml (56 amps)/28 days Cayston[®] = 84 Ml (56 amps)/28 days Kitabis[™] Pak = 280Ml (56 amps)/28 days Tobi Podhaler[®] = 224 capsule/28 day Tobi[®] inhalation neb = 280Ml (56 amps)/28 days tobramycin nebs = 280Ml (56 amps)/28 days
Antifungals, Oral		
fluconazole tab/susp griseofulvin susp nystatin tab/susp terbinafine tab	<i>Ancobon[®]</i> <i>Brexafemme[®]</i> <i>clotrimazole (mucous mem)</i> <i>Cresemba[®]</i> <i>Diflucan[®] tab/susp</i> <i>flucytosine</i> <i>Gris-Peg[®]</i> <i>griseofulvin tab</i> <i>griseofulvin ultramicrosize</i> <i>itraconazole</i> <i>itraconazole soln (generic for Sporanox[®] soln)</i> <i>ketoconazole</i> <i>Lamisil[®] tab/granules</i> <i>Noxafil[®]</i> <i>Noxafil[®] Powdermix</i> <i>posaconazole tab (generic for Noxafil)</i> <i>Sporanox[®] cap/soln</i> <i>Tolsura[™]</i>	<u>LENGTH OF AUTHORIZATIONS:</u> Duration of the prescription (up to 12 months) Routine PDL edits plus <u>Clinical Criteria for all Non-Preferred oral Antifungals.</u> Requires the submission of a Clinical SA. Refer to Antifungal Oral SA Form <u>*Clinical Criteria for Vivjoa:</u> Duration of approval: Date of service • Member is 10 years of age or older; AND • Documentation member has diagnosis of recurrent vulvovaginal candidiasis with ≥3 episodes of vulvovaginal candidiasis (VVC) in a 12-month period; AND • Member is a biological female who is postmenopausal or has another reason for permanent infertility (e.g., tubal ligation, hysterectomy, salpingo-oophorectomy); AND • Member has tried and failed or has a contraindication or intolerance to maintenance antifungal therapy with oral fluconazole.

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Vfend[®] tab/susp</i> <i>*Vivjoa[®]</i> <i>voriconazole tab & powder for susp</i>	Quantity limit: 18 tablets per treatment course
Cephalosporins, Oral			
Second Generation Cephalosporins			LENGTH OF AUTHORIZATIONS: Date of service only; no refills.
cefaclor capsule	<i>cefaclor ER</i>		Routine PDL edits plus Clinical Criteria for <u>Non-Preferred Cephalosporins</u> • Infection caused by an organism resistant to preferred drugs, OR • A therapeutic failure to no less than a three-day trial of one preferred cephalosporin; OR • The member is completing a course of therapy with a non-preferred drug initiated in the hospital.
cefprozil tab/susp	<i>cefaclor susp</i>		
cefuroxime tab	<i>Ceftin[®] tab/susp</i>		
Third Generation Cephalosporins			
cefdinir cap/susp	<i>Cedax[®] cap/susp</i> <i>ceftibuten</i> <i>cefditoren pivoxil</i> <i>cefixime suspension</i> <i>cefepodoxime proxetil cap/susp</i> <i>Spectracef[®]</i> <i>Suprax[®] chewable tab/cap/susp</i>		
Macrolides, Oral			
Macrolides & Ketolides			LENGTH OF AUTHORIZATIONS: Date of service only; no refills.
azithromycin pack/susp/tab	<i>Biaxin[®] tab</i>		Routine PDL edits plus Clinical Criteria for <u>Non-Preferred Macrolides and Ketolides</u> • Infection caused by an organism resistant to preferred drugs, OR • A therapeutic failure to no less than a three-day trial of one preferred drug within the same class; OR • The member is completing a course of therapy with a non-preferred drug which was initiated in the hospital.
clarithromycin tab/susp	<i>clarithromycin ER</i>		
E.E.S. [®] 200 susp	<i>Eryped[®] 200 susp</i>		
erythromycin base tab DR	<i>Eryped[®] 400 susp</i>		
erythromycin ethylsuccinate	<i>Ery-tab[®]</i>		
200mg susp	<i>E.E.S.[®] 400 tab</i>		
erythromycin stearate	<i>Erythrocin[®] Stearate</i> <i>erythromycin base cap DR</i> <i>erythromycin base tab</i> <i>erythromycin ethylsuccinate</i> <i>400mg tab(Generic E.E.S.[®] 400)</i> <i>PCE[®]</i> <i>Zithromax[®] pac/tab/susp</i> <i>ZMAX[®] susp</i>		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents		SA Criteria	
Otic					
Ciprodex® ciprofloxacin/dexamethasone (generic Ciprodex) ofloxacin neomycin/polymyxin/hc soln/ sus		Cetraxal® Cipro HC® ciprofloxacin 0.2% otic soln ciprofloxacin and fluocinolone acetonide (generic Otovel) Cortisporin TC Otovel		<u>LENGTH OF AUTHORIZATIONS:</u> Date of service only; no refills Routine PDL edits	
Quinolones, Oral					
Second Generation Quinolones		<u>LENGTH OF AUTHORIZATIONS:</u> Date of service only; no refills			
ciprofloxacin susp/tab		Cipro® IR, XR & susp ciprofloxacin ER Noroxin® ofloxacin		Routine PDL edits plus: <u>Clinical Criteria for Non-Preferred Quinolones</u> • Infection caused by an organism resistant to preferred drugs; OR • A therapeutic failure to no less than a three-day trial of one preferred quinolone; OR • The member is completing a course of therapy with a non-preferred drug initiated in the hospital.	
Third Generation Quinolones					
levofloxacin tab		Baxdela™ tab Levaquin® tab/susp levofloxacin susp moxifloxacin			
Topical Antibiotics					
mupirocin ointment		*Altabax™ (QL) Bactroban® cr/ointment Centany® Centany AT® Kit mupirocin cream		<u>LENGTH OF AUTHORIZATIONS:</u> Date of service only; no refills Routine PDL edits *Quantity Limit = 15 grams per 34 days	
Vaginal Antibiotics					
Cleocin® Ovules Clindesse® cr metronidazole gel		Cleocin® cr clindamycin cr Metrogel®		<u>LENGTH OF AUTHORIZATIONS:</u> Date of Service Routine PDL edits	

Preferred Agents		Non-Preferred Agents	SA Criteria
Nuversa™		metronidazole gel (generic for Nuversa™) Vandazole™ gel Xaciato™ gel	
Antivirals			
Hepatitis B Agents		CLOSED CLASS	
entecavir (generic for Baraclude®) tab		adeфовир dipivoxil (generic for Hepsera®) tab Baraclude® (entecavir) soln Baraclude® (entecavir) tab Epivir HBV® (lamivudine) soln lamivudine HBV (generic for Epivir HBV®) tab *Vemlidy® (tenofovir alafenamide)	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus *Vemlidy® - Member has a diagnosis of chronic hepatitis B infection; AND - Member has tried and failed or is intolerant to tenofovir disoproxil fumarate (generic Viread)
*Hepatitis C Agents		CLOSED CLASS	
Interferon		LENGTH OF AUTHORIZATIONS:	
		Pegasys® syringe/vial	*Non-preferred agents require the submission of a Clinical SA. Preferred agents do not require submission of any SA. Refer to Hepatitis C Antivirals Non-Preferred SA Form * Hepatitis C Therapies may filled: 1. Monthly a. Mavyret™ (28 days supply x 2 months) b. Mavyret™ Pellet packs (28 days supply x 2 months) c. sofosbuvir /velpatasvir (generic Epclusa®) (28 days supply x 3 months) OR
*Nucleotide Analog NS5A & NS5B Polymerase Inhibitors & Combinations			
sofosbuvir /velpatasvir (generic Epclusa®)		Epclusa® Epclusa® Pellet packs Sovaldi® Vosevi™	
*NS5A, NS3/4A Inhibitor Combinations			
Mavyret™ Mavyret™ Pellet packs		Zepatier®	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
*NS5B & Protease Inhibitor Combinations		2. Full duration of the regimen: a. Mavyret™ (56 days supply) b. Mavyret™ Pellet packs (56 days supply) c. sofosbuvir/velpatasvir (generic Eplclusa®) (84 day supply)
	Harvoni® ledipasvir/sofosbuvir (generic Harvoni®)	
Herpes Oral		
acyclovir cap/tab/susp famciclovir valacyclovir	Famvir® Sitavig® buccal tab Valtrex® Zovirax® tab/susp	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
Herpes Topical		
acyclovir oint docosanol	Abreva OTC® acyclovir cr (generic Zovirax cr) Denavir® penciclovir Xerese® cr Zovirax® oint Zovirax® cr	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
HIV/AIDS CLOSED CLASS		
abacavir tab/soln abacavir-lamivudine tab abacavir-lamivudine-zidov tab Apretude Aptivus® soln atazanavir sulfate cap Biktarvy® tab Cabenuva Cimduo® tab Complera® tab darunavir Delstrigo™ tab Descovy® tab Dovato® tab	Aptivus® cap Atripla® tab Combivir® tab didanosine cap DR efavirenz cap efavirenz-lamiv-tenof tab Epivir® tab Epzicom® tab emtricit-rilp-tenof Kaletra® tab Lexiva® susp Norvir® tab Prezista® tab/susp Retrovir® syrup Reyataz® cap	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits Quantity limits see list here HIV Quantity Limits



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Edurant® tab efavirenz tab efavir-emtri-tenof tab emtricitabine cap emtricitabine-tenofv Emtriva™ cap/soln Epivir® soln etravirine tab Evotaz® tab fosamprenavir tab/susp Fuzeon® Vial Genvoya® tab Intelence® tab Invirase® tab Isentress® chew tab/ tab/powder pack Juluca® tab Kaletra® soln lamivudine tab/soln lamivudine-zidovudine tab Lexiva® tab lopinavir-ritonavir tab Maraviroc nevirapine IR tab/ ER tab/susp Norvir® powder pack Odefsey® tab Pifeltro™ tab Prezcobix® tab Retrovir® cap/vial Reyataz® powder pack Rilpivirine ER vial ritonavir tab/soln Rukobia™ ER tab Selzentry® tab/soln		<i>stavudine cap</i> <i>Trizivir® tab</i> <i>Trogarzo® (intraven)</i> <i>Viracept® tab</i> <i>Viread® tab</i> <i>Ziagen® tab</i> Yeztugo®	



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Stribild® tab Sunlenca® tab/vial Symfi® and Symfi Lo® tab Symtuza® tab Temixys™ tab tenofovir disoproxil fum tab Tivicay® tab/tab for susp Triumeq® tab Triumeq® PD Truvada® tab Tybost® tab Viramune® tab Viread® powder Vocabria Ziagen® soln zidovudine tab/cap/syrup			
Influenza			
oseltamivir susp/ cap	<i>Flumadine® tab</i> <i>rimantadine</i> <i>Relenza Disk®</i> <i>Tamiflu® susp/cap</i> <i>Xofluza™</i>	<u>LENGTH OF AUTHORIZATIONS:</u> Routine PDL edits	Date of service only
COVID-19 CLOSED CLASS			
Paxlovid		<u>LENGTH OF AUTHORIZATIONS:</u> Routine PDL edits	Date of service only
Blood Modifiers			
Bile Salts			
ursodiol cap, tab	<i>*Bylvay™</i> <i>Chenodal®</i> <i>Cholbam®</i>	<u>LENGTH OF AUTHORIZATIONS:</u> Routine PDL edits	1 year

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

	Preferred Agents	Non-Preferred Agents	SA Criteria
		<i>Iqirvo[®]</i> <i>Livdelzi[®]</i> <i>**Livmarli[™]</i> <i>Ocaliva[®]</i> <i>Reltone[®]</i> <i>Urso[®] & Urso[®] Forte tab</i>	**Livmarli[™] (PDL criteria do not apply) - Must have a confirmed diagnosis of cholestatic pruritus in: - Members 3 months of age and older with Alagille syndrome (ALGS) - Members 12 months of age and older with progressive familial intrahepatic cholestasis (PFIC). * Bylvay[™] (PDL criteria do not apply) - Must have a confirmed diagnosis of cholestatic pruritus in: - Members 12 months of age and older with Alagille syndrome (ALGS) - Members 3 months of age and older with progressive familial intrahepatic cholestasis (PFIC)
	Colony Stimulating Factors CLOSED CLASS		
	Fulphila Neupogen Disp Syrin Neupogen Vial	<i>Fylnetra</i> <i>Granix Syringe</i> <i>Granix Vial</i> <i>Leukine</i> <i>Neulasta Kit</i> <i>Neulasta Syringe</i> <i>Nivestym Syringe</i> <i>Nivestym Vial</i> <i>Nyvepria</i> <i>Releuko Syringe</i> <i>Releuko Vial</i> <i>Rolvedon Syringe</i> <i>Ryzneuta Syringe</i> <i>Stimufend Syringe</i> <i>Udenyca</i> <i>Udenyca Autoinjector</i> <i>Udenyca Onbody</i> <i>Zarxio</i> <i>Ziextenzo Syringe</i>	<u>LENGTH OF AUTHORIZATIONS:</u> Routine PDL edits plus ♦All Non-Preferred Colony Stimulating Factors require submission of Clinical SA. Refer to: Non-Preferred Colony Stimulating Factors SA Form



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Hemophilia Treatment CLOSED CLASS			
Factor VIII Products			LENGTH OF AUTHORIZATIONS: N/A
Advate® Adynovate® Afstyl® Alphanate® Altuviiiio™ Eloctate® Esperoct® Hemofil-M® Humate-P® Jivi® Koate-DVI® Kogenate FS® Kovaltry® Novoeight® Nuwiq® Obizur® Recombinate® Xyntha® Kit & Solofuse Syr			All products are preferred without EDITS
Factor IX Products			
AlphaNine SD® Alprolix® BeneFIX® Idelvion® Ixinity® Profilnine SD® Rebinyn® Rixubis®			
Factor VIIa & Activated Prothrombin Complex Concentrate			



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria	
Feiba NF [®] NovoSeven RT [®] Sevenfact [®]				
Factor IXa and Factor X Directed Antibody				
Hemlibra [®]				
Factor X and Factor XIII Products				
Coagadex [®] Corifact [®] Kit Tretten [®]				
Prothrombin Complex Concentrate				
Balfaxar [®]				
Tissue Factor Pathway Inhibitor Antagonist				
Alhemo [®] Hympavzi [™]				
Von Willebrand				
Vonvendi [®] Wilate [®]				
Phosphate Binders				
calcium acetate 667mg cap calcium acetate 668 mg sevelamer carbonate tab		Auryxia [™] calcium acetate 667mg tab Calphron Eliphos Fosrenol [®] chewable tab lanthanum carbonate chewable tab Phoslyra [®] powder, tab Renvela [®]	<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		sevelamer carbonate powder packet sevelamer HCL (gen Renagel) Velporo® chewable tab Xphozah™	
Sickle Cell CLOSED CLASS			
Droxia Endari **Siklos		Adakveo IV l-glutamine(generic Endari) Xromi	*Non-preferred agents and **Siklos® (if 18 years of age and older) require the submission of a Clinical SA. Preferred agents do not require submission of any SA. Refer to Sickle Cell SA Form **Clinical Criteria for Siklos (hydroxyurea): Member must be 2-17 years old
Bone Resorption Suppression and Related Agents			
Bisphosphonates			
alendronate tab ibandronate		Actonel® alendronate soln Atelvia DR® Boniva® Binosto™ etidronate Fosamax® tab & Fosamax® plusD risedronate DR	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
Calcitonins			
calcitonin-salmon nasal			LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
Others			
raloxifene		Evista® *Forteo® *teriparatide	LENGTH OF AUTHORIZATIONS: Initial approval will be for 1 year Routine PDL edits for Evista®

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents		SA Criteria	
		*Tymlos TM	* ♦ Clinical SA must be completed for (Forteo, teriparatide or Tymlos SA Form)		
Cardiac					
Anticoagulants CLOSED CLASS					
Low Molecular Weight Heparin includes FactorXA Inhibitor			<u>LENGTH OF AUTHORIZATIONS:</u> 1 year		
enoxaparin (generic Lovenox [®])		Arixtra [®] fondaparinux Fragmin [®] syringe & vial Lovenox [®]		Routine PDL edits	
Oral Anticoagulants			<u>*Clinical Criteria for SavaysaTM</u>		
Eliquis TM Eliquis TM Dose Pack Jantoven [®] Pradaxa [®] warfarin Xarelto [®] & Starter Pack, susp		dabigatran Pradaxa [®] Pellet Pack rivaroxaban *Savaysa TM		• Diagnosis of: Non-valvular Atrial Fibrillation, OR • Deep vein thrombosis, OR • Pulmonary embolism; AND • Documentation that CrCl is NOT ≥ 95mL/min calculated by Cockcroft-Gault equation	
Antihypertensive Agents					
ACE Inhibitors			<u>LENGTH OF AUTHORIZATIONS:</u> 1 year		
benazepril enalapril lisinopril ramipril quinapril		Accupril [®] Altace [®] captopril Epaned TM soln enalapril soln fosinopril Lotensin [®] Mavik [®] moexipril Monopril [®] perindopril Qbrelis TM trandolapril		Routine PDL edits	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		Univasc® Vasotec® Zestril®	
ACE Inhibitors + Calcium Channel Blocker Combinations			
amlodipine/benazepril		Lotrel® Tarka® trandolapril-verapamil ER	
ACE Inhibitors + Diuretic Combinations			
benazepril/HCTZ lisinopril/HCTZ enalapril/HCTZ		Accuretic® captopril/HCTZ fosinopril/HCTZ Lotensin HCT® moexipril/HCTZ quinapril /HCTZ quinapril-HCTZ (gen Accuretic) Vaseretic® Zestoretic®	
Angiotensin Receptor Blockers			LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus <i>Quantity Limit = 2 per day for Entresto™ and sacubitril/valsartan generics</i> **Entresto Sprinkle capsule: The member is intolerant to solid oral dosage forms
*Entresto™ (QL) irbesartan losartan olmesartan valsartan		**Entresto Sprinkle™ Atacand® Avapro® Benicar® candesartan Cozaar® Diovan® Edarbi® eprosartan mesylate Micardis® sacubitril/valsartan (QL) telmisartan	

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Teveten[®]</i> <i>valsartan solution</i>	
Angiotensin Receptor Blockers + Calcium Channel Blocker Combinations			
amlodipine/olmesartan amlodipine/valsartan		<i>Azor[®]</i> <i>amlodipine/olmesartan/HCTZ</i> <i>amlodipine/valsartan/HCTZ</i> <i>Exforge[®] & Exforge[®] HCT</i> <i>Tribenzor[®]</i>	
Angiotensin Receptor Blockers + Diuretic Combinations			
irbesartan/HCTZ losartan/HCTZ olmesartan/HCTZ valsartan/HCTZ		<i>Atacand HCT[®]</i> <i>Avalide[®]</i> <i>Benicar HCT[®]</i> <i>candesartan/HCTZ</i> <i>Diovan HCT[®]</i> <i>Edarbyclor[®]</i> <i>Hyzaar[®]</i> <i>Micardis HCT[®]</i> <i>telmisartan/HCTZ</i> <i>Teveten HCT[®]</i>	
Beta Blockers			*Clinical Criteria for Hemangeol[™] Diagnosis of proliferating infantile hemangioma requiring systemic therapy
atenolol bisoprolol carvedilol labetalol metoprolol tartrate metoprolol succinate propranolol tab & ER/soln Sorine[®] sotalol AF sotalol HCL		<i>acebutolol</i> <i>Betapace[®] IR & AF[®]</i> <i>betaxolol</i> <i>Carvedilol ER</i> <i>Coreg[®] IR & CR[®]</i> <i>Corgard[®]</i> <i>*Hemangeol[™]</i> <i>Inderal[®] XL</i> <i>Innopran[®] XL</i> <i>Kapspargo[™] Sprinkle</i> <i>Levatol[®]</i>	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Lopressor[®]</i> <i>nebivolol</i> <i>nadolol</i> <i>pindolol</i> <i>propranolol LA</i> <i>Sectral[®]</i> <i>SotylizeTM</i> <i>Tenormin[®]</i> <i>timolol maleate</i> <i>Toprol XL[®]</i> <i>Trandate[®]</i> <i>Zebeta[®]</i>	
Beta Blockers + Diuretic Combinations			
atenolol/chlorthalidone bisoprolol/HCTZ		<i>Corzide[®]</i> <i>Dutoprol[®]</i> <i>Lopressor HCT[®]</i> <i>metoprolol/HCTZ</i> <i>nadolol/bendroflumethiazide</i> <i>propranolol/HCTZ</i> <i>Tenoretic[®]</i>	
Calcium Channel Blockers –Dihydropyridine			
Afeditab CR[®] amlodipine Nifedical XL[®] nifedipine nifedipine ER		<i>Adalat CC[®]</i> <i>Conjupri[®]</i> <i>Consensi[®] (amlodipine/celecoxib)</i> <i>felodipine ER</i> <i>isradipine</i> <i>KaterziaTM oral suspension</i> <i>levamlodipine (generic</i> <i>Conjupri[®])</i> <i>nisoldipine</i> <i>nicardipine</i> <i>Norliqva[®]</i> <i>Norvasc[®]</i>	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Procardia XL[®]</i> <i>Sular[®]</i>	
Calcium Channel Blockers- Non-Dihydropyridine			
Cartia XT[®] diltiazem IR, ER q12hr & 24hr Taztia XT[®] verapamil tab IR & ER		<i>Calan[®] IR & SR</i> <i>Cardizem[®] IR, CD & LA</i> <i>Isoptin SR[®]</i> <i>diltiazem LA</i> <i>Matzim LA</i> <i>Tiazac[®]</i> <i>verapamil 360 cap</i> <i>verapamil ER cap</i> <i>Verelan[®] & Verelan PM[®]</i>	
Direct Renin Inhibitors (includes combination)			
		<i>aliskiren 150 & 300mg (generic for Tekturna)</i> <i>Tekamlo[®]</i> <i>Tekturna[®]</i> <i>Tekturna HCT[®]</i> <i>Twynsta[®]</i> <i>telmisartan/amlodipine</i>	
Lipotropics			
Bile Acid Sequestrants			LENGTH OF AUTHORIZATIONS: 1 year
cholestyramine powder reg & light colestipol tab Prevalite[®]		<i>Colestid[®] packet/tab</i> <i>colesevelam tab and Pkt (generic Welchol)</i> <i>colestipol HCl granules</i> <i>Questran[®] powder/powder Light</i> <i>Welchol[®] pack, tab</i>	Routine PDL edits

Preferred Agents		Non-Preferred Agents	SA Criteria
Cholesterol Absorption Inhibitor (CAI) and /or ACL Inhibitor (adenosine triphosphate citrate lyase)		ezetimibe <	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
gemfibrozil		fenofibrate (generics for Antara [®] , Fenoglide [®] & Lipofen [®]) fenofibrate (generics for Triglide [®]) fenofibric acid Fenoglide [®] Fibracor [®] Lipofen [®] Lofibra [®] Lopid [®] Tricor [®] Triglide [®] Trilipix [™]	
HMG CoA Reductase Inhibitors and Combo (High Potency Statins)			
atorvastatin rosuvastatin simvastatin		Atorvaliq [®] amlodipine/atorvastatin Caduet [®] Crestor [®] Ezallor Sprinkle (rosuvastatin) Lipitor [®] Livalo [®] pitavastatin calcium (generic Livalo [®]) rosuvastatin-ezetimibe simvastatin soln (generic Flolipid) simvastatin/ezetimibe Vytorin [®] Zocor [®] Zypitamag [™]	
HMG CoA Reductase Inhibitors and Combinations (Statins)			
lovastatin pravastatin		Altoprev [®] fluvastatin Lescol [®] and Lescol XL [®]	

Preferred Agents		Non-Preferred Agents	SA Criteria
		Mevacor [®] Pravachol [®]	
Microsomal Triglyceride Transfer Protein Inhibitor			*♦ Clinical Criteria for Juxtapid [™] . Refer to Juxtapid[™] SA Fax Form
		*Juxtapid [™]	
Niacin Derivatives			
niacin ER		Niaspan [®] Niacor [®]	
Omega 3 Fatty Acid Agent			***♦ <u>Clinical Criteria for Lovaza[®] and omega-3 acid ethyl esters</u> - Step edit requires trial and failure of any other lipotropic; OR - Documented high triglycerides of ≥ 500 mg/dL.
icosapent ethyl (gen Vascepa [®])		***Lovaza [®] (ST)	
***omega-3 acid ethyl esters (ST)			
Omega-3 OTC			
*Proprotein Convertase Subtilisin Kexin Type 9 (PCSK9) Inhibitors			<u>LENGTH OF AUTHORIZATIONS:</u> Three months for initial approval; six months for renewal
		Leqvio [®] Praluent [®] Repatha [®]	*♦ ALL PCSK9 Inhibitors require the submission of a Clinical SA. Refer to Lipotropics, Other SA Form
Platelet Inhibitors			
Brilinta [®] clopidogrel dipyridamole prasugrel (generic Effient [®])		*Aggrenox [®] *ASA/dipyridamole **ASA/omeprazole (generic Yosprala [®]) **Durlaza ER [™] Effient [®] Persantine [®] Plavix [®] ticagrelor **Yosprala [®] Tab ***Zontivity [™]	<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits plus <u>Clinical Criteria for Select Non-Preferred Platelet Inhibitors</u> *Aggrenox [®] & ASA/dipyridamole - Aspirin and dipyridamole are covered as separate drugs without SA; clinical reason as to why the individual drugs cannot be used separately. **Durlaza ER [™] , ASA/omeprazole & Yosprala [®] Tab - Aspirin is covered without SA; clinical reason as to why aspirin cannot be used. *** Zontivity [™] - Diagnosis of MI (myocardial infarction) or PAD (peripheral arterial disease); AND - Members must not have a history of stroke, TIA, ICH, GI bleed and peptic ulcer; AND

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
			- Must have concomitant therapy with clopidogrel, unless member has a contraindication to clopidogrel in which case member must have concomitant therapy with aspirin; AND - Member is 18 years of age or older; AND - Prescribed by or in consultation with a cardiologist.
*Pulmonary Arterial Hypertension Agents			
Activin Signaling Inhibitor			LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits for all Pulmonary Arterial Hypertension Agents
		Winrevair™	
Inhaled Prostacyclin Analogues			
Ventavis®		Tyvaso® Tyvaso DPI™ (treprostinil) Yutrepia™	
Oral Endothelin Receptor Antagonist			Routine PDL edits plus *♦ Clinical Criteria for all preferred and non-preferred PDE-5 and PDE-5 inhibitor combinations - Diagnosis of pulmonary hypertension in members >18 years is required (≥1 years oral Revatio® only); AND - The prescriber must be a pulmonary specialist or cardiologist; AND - Must have a rationale for not taking the sildenafil tab to receive a SA for injectable Revatio®
ambrisentan (generic Letairis) 5 & 10mg		bosentan (generic Tracleer®) Letairis® 5 & 10 mg Opsumit® Tracleer® susp	
*Phosphodiesterase 5 Inhibitors (PDE-5)			
Alyq (tadalafil) sildenafil tab/susp tadalafil(generic Adcirca®)		Adcirca® Liqrev® Revatio® tab/inj/susp Tadliq® Suspension	
*Phosphodiesterase 5 Inhibitors (PDE-5) Combinations			
		Opsynvi	
Prostacyclin Vasodilator and Receptor Agonist			
		Orenitram™ Orenitram™ titration kit Uptravi®	
Soluble Guanylate Cyclase Stimulators			
		Adempas®	

Preferred Agents		Non-Preferred Agents		SA Criteria		
Central Nervous System						
Alzheimer's Agents						
Cholinesterase Inhibitors		<u>LENGTH OF AUTHORIZATIONS:</u> Length of prescription (up to 3 months) Routine PDL edits				
donepezil OTD & tab rivastigmine (transderm)	Adlarity® Aricept® ODT, tab Exelon® cap & transderm galantamine IR, ER tab/soln memantine/donepezil Namzaric® (memantine/donepezil) Razadyne® IR, ER rivastigmine cap Zunveyl®					
NMDA Receptor Antagonist						
memantine tab	memantine Dose Pack, soln memantine ER					
Anticonvulsants		CLOSED CLASS				
Barbiturates		<u>LENGTH OF AUTHORIZATIONS:</u> 1 year				
phenobarbital elixir/tab primidone Sezaby	Mysoline®		Routine PDL			
Benzodiazepines						
clobazam tab/susp clonazepam tab Diastat® rectal Diastat® AcuDial™ rectal diazepam rectal & Device rectal Nayzilam® Valtoco® Nasal	clonazepam ODT clorazepate Klonopin Tab Libervant™ Onfi® susp/tab Sympazan™ (clobazam) Tranxene®					
Cannabidiol						
*Epidioex® (cannabidiol)			*♦ <u>Clinical Criteria for Epidiolex®</u> (reviewed electronically, AutoPA)			

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
			Duration of Approval: 1 year - Member must be ≥ 1 years of age; AND - Member has been diagnosed with: - Epilepsy and recurrent seizures including Lennox-Gastaut syndrome, - Dravet syndrome, or tuberous sclerosis complex
Carbamazepine Derivatives			
carbamazepine chewable tab/susp/tab carbamazepine XR Carbatrol[®] Epitol oxcarbazepine tab Tegretol [®] XR Trileptal[®] susp		<i>Aptiom[®]</i> carbamazepine ER <i>carbamazepine XR (authorized generic only)</i> eslicarbazepine acetate <i>Equetro[®] cap</i> <i>OxtellarTM XR</i> oxcarbazepine susp <i>oxcarbazepine ER (generic)</i> <i>Oxtellar XR</i> <i>Tegretol[®] susp/tab</i> <i>Trileptal[®] tab</i>	
Hydantoins			
Dilantin 30mg phenytoin cap/chew tab/ susp phenytoin ext cap		<i>Dilantin[®] cap & Infatab, susp</i> <i>Peganone[®]</i> <i>Phenytek[®]</i>	
Succinimides			
ethosuximide cap/syrup		<i>Celontin[®]</i> <i>Zarontin[®] cap/syrup</i>	
Valproic Acid and Derivatives			
Depakote[®] sprinkle divalproex tab divalproex ER valproic acid cap, soln		<i>Depakote[®] ER</i> divalproex sprinkle	
Other Anticonvulsants			
lacosamide soln/tab (gen Vimpat[®])		<i>Banzel[®] susp/tab</i> <i>Briviact[®] tab/soln</i>	*♦ Clinical Criteria for Fintepla[®] Member is at least two years of age or older; AND

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

	Preferred Agents	Non-Preferred Agents	SA Criteria
	lamotrigine tab lamotrigine chew tab lamotrigine XR levetiracetam soln/tab levetiracetam ER roweepra (generic levetiracetam) subvenite tab (generic lamotrigine) topiramate tab/sprinkle cap zonisamide cap	<i>Diacomit[®] cap/powder pack</i> <i>Elepsia[®] XR tab</i> <i>EprontiaTM</i> <i>felbamate susp/tab</i> <i>Felbatol[®] tab</i> <i>* Fintepla[®]</i> <i>Fycompa[®] susp/tab</i> <i>Keppra[®] soln/tab</i> <i>Keppra[®] XR</i> <i>lacosamide solution unit dose</i> <i>Lamictal[®] XR & XR dose pk</i> <i>Lamictal[®] tab/dose pk</i> <i>Lamictal[®] ODT</i> <i>Lamictal[®] ODT dose pk</i> <i>lamotrigine tab dose pk</i> <i>lamotrigine ODT</i> <i>lamotrigine ODT dose pk</i> <i>Motpoly XRTM</i> <i>perampanel</i> <i>rufinamide susp/tab (generic Banzel[®])</i> <i>QudexyTM XR</i> <i>Sabril[®] powder pack/tab</i> <i>Spritam[®]</i> <i>subvenite dose pk</i> <i>tiagabine</i> <i>Topamax[®] tab/sprinkle</i> <i>topiramate ER cap</i> <i>topiramate soln</i> <i>TrokendiTM XR</i> <i>vigabatrin tab/ powder pack (generic Sabril[®])</i> <i>VigafydeTM</i> <i>Vimpat[®] soln/tab</i> <i>Xcopri[®]</i>	- Member must have a diagnosis of Dravet syndrome or Lennox-Gastaut syndrome ** ♦ Clinical Criteria for Ztalmey: - Initial: - Member is two years of age or older; AND - Documented diagnosis of cyclin-dependent kinase-like 5 deficiency disorder AND - Documentation that seizures have been inadequately controlled by a trial of at least 2 antiepileptic drugs (e.g., clobazam, valproate, lamotrigine, levetiracetam, topiramate, felbamate, vigabatrin) or member has labeled contraindications to other antiepileptic drugs - Renewal: - Documentation of positive clinical response as demonstrated by low disease activity and/or improvements in the condition's signs and symptoms (e.g., reduced seizure activity, frequency, and/or duration) - Prescriber Requirements: Prescribed by or in consultation with a neurologist, geneticist, or physician who specialized in treatment of epileptic disorders

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		Zonisade™ Solution **Ztalmly®	
Antidepressants			
Other			LENGTH OF AUTHORIZATIONS: 1 year
bupropion IR, SR & XL desvenlafaxine ER tab (generic for Pristiq®) mirtazapine ODT/tab trazodone tab venlafaxine IR tab & ER cap vilazodone tab	Aplenzin® Auvelity™ Brintellix® bupropion XL (gen Forfivo® XL) desvenlafaxine ER tab (gen Khedezla™) Effexor® XR Emsam® transdermal Fetzima® Forfivo® XL Khedezla™ Marplan® Nardil® nefazodone Parnate® phenelzine Pristiq® Raldesy™ Remeron® ODT/tab tranylcypromine sulfate Trintellix venlafaxine ER tab Viibryd® dose pk Viibryd® tab Wellbutrin® IR, SR & XL *Zurzuvae™		Routine PDL edits * ♦ <u>Zurzuvae criteria (PDL criteria do not apply)</u> • Initial Criteria: - Member is ≥ 18 years of age; AND - Member has a diagnosis of postpartum depression (PPD) based on Diagnostic and Statistical Manual of Mental Disorders (DSM) criteria for a major depressive episode (DSM-5); AND - Member is not currently pregnant and is using effective contraception LENGTH OF AUTHORIZATIONS: 14 days Renewal Criteria: Not applicable Quantity limit: 28 capsules per 14 days
SSRI			
citalopram soln/tab escitalopram tab	Brisdelle® Celexa® tab		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
fluoxetine cap/soln fluvoxamine tab paroxetine tab sertraline conc, soln, tab		<i>citalopram HBR 30mg</i> <i>escitalopram soln</i> <i>fluoxetine DR cap/tab</i> <i>fluvoxamine ER</i> <i>Lexapro[®] tab</i> <i>Luvox[®] CR</i> <i>paroxetine CR</i> <i>paroxetine susp</i> <i>Paxil[®] tab/susp & Paxil[®] CR</i> <i>Pexeva[®]</i> <i>Prozac[®] cap/weekly</i> <i>Sarafem[®]</i> <i>sertraline cap</i> <i>Zoloft[®] conc/tab</i>	
Antimigraine Agents			
sumatriptan succinate tab cartridge/vial/pen Imitrex[®] nasal rizatriptan tab/MLT		<i>almotriptan</i> <i>Alsuma[®]</i> <i>Amerge[®]</i> <i>Axert[®]</i> <i>Cambia[®]</i> <i>eletriptan (generic Relpax[®])</i> <i>Elyxyb[®]</i> <i>Frova[®]</i> <i>frovatriptan (generic Frova[®])</i> <i>Imitrex[®] cartridge/pen/tab/vial</i> <i>Maxalt[®] tab & MLT</i> <i>MigranowTM Kit</i> <i>naratriptan</i> <i>OnzetraTM XsailTM</i> <i>Relpax[®]</i> <i>sumatriptan KITS</i> <i>Sumavel[®] Dosepro</i> <i>sumatriptan/nap (gen Treximet[®])</i> <i>Symbravo[®]</i>	<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edit



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Tosymra®</i> <i>Treximet®</i> <i>Zembrace™ SymTouch™</i> <i>zolmitriptan nasal</i> <i>Zomig® tab/nasal spray/ZMT</i>	
Antimigraine Agents, Others CLOSED CLASS Calcitonin Gene-related Peptide Antagonist (CGRP)			Routine PDL edits plus *♦ All CGRPs require the submission of a Clinical SA. Refer to fax form Antimigraine Agents, Others SA Form **Vyepti SA Form
Preventive Treatment			Preferred Agents *step edit required
Aimovig™ Ajovy® Autoinjector & Syringe Ajovy Autoinjector 3-Pk Emgality™ Syringe Emgality™ Pen Nurtec™ ODT Qulipta™	<i>Emgality™ 100MG Syringe</i> **Vyepti®		<u>Quantity limit for preventive treatment</u> Aimovig™ = 70 mg/mL autoinjector = 1 mL or 140 mg/mL autoinjector = 1 mL per 30 days Ajovy® = 1 Injection: 225 mg/1.5 mL single-dose prefilled autoinjector per 30 days. Ajovy 3 pack = one 3 pack per 90 days Emgality™ = 120 mg/mL pen and syringe = 1 mL per 30 days 100 mg/1 mL syringe = 3 mL per 30 days (Episodic cluster headache treatment) Nurtec® ODT = 16 tabs per 30 days Qulipta™ = 1 tab per day
Acute treatment of migraine			
Nurtec™ ODT Ubrovelvy®	<i>Reyvow®</i> <i>Zavzpret™</i>		<u>Quantity limit for acute treatment</u> Nurtec® ODT = 16 tabs per 30 days Reyvow® = 50mg or 100mg - 8 tabs per strength per 30 days Ubrovelvy® = 50mg or 100mg can have up to 16 tabs per strength per 30 days
*Antipsychotics (AGE) CLOSED CLASS			
Atypical			<u>LENGTH OF AUTHORIZATIONS:</u> 1 year or 6 months for members < 18 yrs
aripiprazole tab clozapine tab lurasidone olanzapine ODT, tab, IM quetiapine fumarate ER quetiapine tab	<i>Abilify® tab/IM inj</i> ***Abilify Mycite®(with sensor) <i>aripiprazole ODT, soln</i> <i>asenapine (generic for Saphris®)</i> <i>Caplyta Capsule™</i> <i>Clozaril®</i>		Routine PDL edits plus *♦ ALL antipsychotics for children 0 to 17 years of age (preferred and non-preferred) require the submission of a Clinical SA. Refer to (Antipsychotics In Children Less Than 18 Years SA Form)

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
risperidone ODT/soln/tab ****Vraylar™ ziprasidone cap	<i>clozapine ODT</i> <i>Cobenfy™</i> <i>Cobenfy™ Starter pk</i> <i>Fanapt® tab & titration pk</i> <i>Fazaclo®</i> <i>Geodon® tab, IM</i> <i>Invega®</i> <i>Latuda®</i> <i>Lybalvi®</i> <i>**Nuplazid™ tab, cap (QL)</i> <i>**olanzapine/fluoxetine</i> <i>Opipza™</i> <i>paliperidone ER</i> <i>quetiapine fumarate ER</i> <i>(authorized generic only)</i> <i>Rexulti® tab</i> <i>Risperdal® ODT/soln/tab</i> <i>Saphris®</i> <i>Secuado® Patch</i> <i>Seroquel® IR</i> <i>Seroquel® XR</i> <i>Versacloz™</i> <i>ziprasidone IM (gen Geodon®)</i> <i>Zyprexa® tab/IM/Zydis</i>	**Clinical Criteria Nuplazid™ - Indicated for the treatment of hallucinations and delusions associated with Parkinson's disease psychosis. <i>Quantity Limit Nuplazid™ = 2 per day</i> *** ♦ Clinical Criteria for Abilify Mycite® Initial Approval Criteria: For Three months SA Member must: - Be ≥ 18 years of age; AND - Have tolerability to oral aripiprazole with suboptimal effects (as assessed by prescriber) that may be due to adherence problems; AND - Have a smart phone compatible with the device; AND - Give consent to a healthcare provider and caregiver (if applicable) to monitor the portal; AND - There is a documented intervention by prescriber if nonadherence is detected Renewal Criteria: Every 3 Months Reevaluate - Member must: - Continue to meet initial criteria; AND - Have prescriber attestation that member benefited from therapy; AND - Have prescriber attestation that there is a continued need for device (e.g., continued suboptimal effects and/or compliance); AND - Have a healthcare provider and caregiver (if applicable) agree to continue to monitor device; AND - Not have worsened target symptoms; AND - Not have had any treatment-limited adverse effects (e.g., hypersensitivity, suicidality, neuroleptic malignant syndrome, tardive dyskinesia, metabolic changes, pathological gambling and other compulsive behaviors, orthostatic hypotension, falls, seizures, cognitive and motor impairment, dysphagia, disruption in body temperature regulation, and leukopenia, neutropenia, and agranulocytosis); AND - Have a healthcare provider state reason why the member cannot use long-acting injectable atypical antipsychotic if there is continued nonadherence.

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
			****Clinical Criteria for Vraylar as adjunct treatment for Major Depressive Disorder (reviewed electronically, AutoPA) - Member must be ≥ 18 years of age; AND - Member must have a diagnosis of Major Depressive Disorder; AND - Member must be adherent to complementary therapy with an antidepressant (e.g. selective serotonin reuptake inhibitor (SSRI) or serotonin/norepinephrine reuptake inhibitor (SNRI)) (80% of fills in the last 90 days) - Length of Authorization: 1 year
Atypical, Long-Acting Injectable			LENGTH OF AUTHORIZATIONS: 1 year
Abilify Asimtufii® Abilify Maintena® Aristada® Aristada® Initio Invega Hafyera™, Sustenna® & Trinza® Perseris™ Risperdal Consta® Uzedy™	Erzofri® Rykindo™ Zyprexa® Relprevv™	Routine PDL edits	
Typical			LENGTH OF AUTHORIZATIONS: 1 year
amitriptyline/perphenazine chlorpromazine fluphenazine elixir/soln/tab fluphenazine decantate haloperidol decantate haloperidol lactate conc haloperidol tab loxapine perphenazine trifluoperazine thiothixene thioridazine	Adasuve® Haldol decanoate (injection) pimozide Moban® molindone	Routine PDL edits	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
Duchenne Muscular Dystrophy CLOSED CLASS		
**Emflaza	**Agamree Amondys-45 **deflazacort **Duvyzat Exondys-51 Jaythari Viltepso Vyondys-53	LENGTH OF AUTHORIZATIONS: 1 year **Clinical Criteria for oral Duchenne Muscular Dystrophy agents - Member is 2 years of age or older for Agamree®, Emflaza™ and deflazacort - Member is 5 years of age or older for Jaythari - Member is 6 years of age or older for Duvyzat™ - Member has a diagnosis of Duchenne Muscular Dystrophy (DMD) - For all oral agents, the member has tried and failed or is intolerant to prednisone or prednisolone - For non-preferred agents, the member has tried and failed or is intolerant to Emflaza™ Routine PDL edits plus All Antisense Oligonucleotides require submission of Clinical SA. Refer to: Antisense Oligonucleotides SA Form
*Movement Disorders CLOSED CLASS		
Austedo® tab Austedo XR® tab Austedo XR® titration pack Ingrezza® cap Ingrezza® Sprinkle Ingrezza® Initiation Pack tetrabenazine tab (generic Xenazine®)	Xenazine® tab	LENGTH OF AUTHORIZATIONS: 1 year *Clinical Criteria for Movement Disorders - Diagnoses of Tardive Dyskinesia or Huntington's disease - Prescribed by or in consult with a neurologist or psychiatrist - Quantity limit 4 tabs/day Austedo® 1 tab per day Austedo XR® 42 tablets per 365 Austedo XR® titration pack 1 cap/day Ingrezza®/Ingrezza Sprinkle® 4 tabs/day Xenazine®

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
Neuropathic Pain and Select Agents		
capsaicin OTC topical duloxetine 20, 30 & 60 mg (generic for Cymbalta®) gabapentin cap/tab/soln lidocaine 5% patch pregabalin cap	Dermacinrx® PHN Pak™ Kit Drizalma™ Sprinkle duloxetine 40 mg (generic Irenka™) gabapentin ER Gralise™ (gabapentin, ER) Horizant™ (gabapentin enacarbil ER) Irenka™ Journavx™ Lidoderm® patch LidoPure Patch Lyrica® / CR/ soln Neurontin® cap/tab/soln pregabalin soln, ER Qutenza Kit® (capsaicin) Savella™ & Savella™ Dose Pak Zilacaine Patch Zilido™ 1.8% (lidocaine topical system)	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus Journavx SA Form Criteria for Lyrica solution: – If diagnosis is epilepsy/seizures, member must have a problem swallowing tabs/capsules AND clinical reason why at least TWO preferred seizure medications cannot be used. – For other diagnoses, member must have a problem swallowing tabs/capsules AND routine PDL • If Lyrica CR is requested, routine PDL applies. Note – This is NOT indicated for epilepsy/seizures.
Non-Ergot Dopamine Receptor Agonist		
pramipexole ropinirole HCl	Mirapex® IR & ER Neupro® pramipexole ER Requip® XR ropinirole HCl ER	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
Sedatives / Hypnotics		
temazepam 15 & 30 mg	estazolam flurazepam Halcion® quazepam 15 mg	LENGTH OF AUTHORIZATIONS: Length of the prescription (up to 3 months) Routine PDL edits

Preferred Agents	Non-Preferred Agents	SA Criteria
	<i>Restoril®</i> <i>temazepam 7.5 mg & 22.5 mg</i> <i>triazolam</i>	
Sedatives / Hypnotics (Non-Benzodiazepine)		
eszopiclone zaleplon zolpidem	<i>Ambien® IR & CR</i> <i>Belsomra®</i> <i>Dayvigo™</i> <i>doxepin (generic for Silenor®)</i> <i>Edluar™</i> <i>*Hetlioz®</i> <i>**Hetlioz™ LQ</i> <i>Intermezzo®</i> <i>Lunesta®</i> <i>Quviviq™</i> <i>Rozerem®</i> <i>Silenor®</i> <i>Sonata®</i> <i>tasimelteon</i> <i>zolpidem CR</i> <i>zolpidem (generic Intermezzo®)</i> <i>zolpidem tartrate capsule</i>	LENGTH OF AUTHORIZATIONS: 6 months. For Renewal - must document therapeutic benefit and confirm compliance Routine PDL edits plus *♦ Clinical Criteria for Hetlioz® and tasimelteon - For the treatment of Non-24-Hour Sleep-Wake Disorder (Non-24), AND - Member must be age 16 years of age or older. - Quantity limit = 1 capsule per day. **♦ Clinical Criteria for Hetlioz™ LQ oral suspension - For the treatment Nighttime sleep disturbances in SMS in pediatric members AND - Member must be 3 years to 15 years of age.
Skeletal Muscle Relaxants		
baclofen chlorzoxazone cyclobenzaprine HCL dantrolene sodium methocarbamol tizanidine tab	<i>Amrix®</i> <i>baclofen soln</i> <i>baclofen susp (gen Fleqsuvy™)</i> <i>*carisoprodol</i> <i>*carisoprodol/ASA</i> <i>*carisoprodol/ASA/codeine</i> <i>cyclobenzaprine ER</i> <i>Dantrium®</i> <i>Fexmid®</i> <i>Fleqsuvy™</i> <i>Lorzone®</i>	LENGTH OF AUTHORIZATIONS: 1 year for chronic conditions - Duration of prescription (up to 3 months) for acute conditions Routine PDL edits plus *♦ Clinical Criteria for Carisoprodol Drugs - Member is at least 16 years old - Only approve for ACUTE, painful musculoskeletal conditions. - Length of Authorization: One month per every 6 months for carisoprodol drugs - Quantity limit = 4 tablets per day

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		Lyvispah™ metaxalone orphenadrine citrate orphenadrine/ASA/caffeine Ozobax® DS Parafon Forte® DSC Robaxin® Skelaxin® *Soma® tizanidine cap Zanaflex®	
Smoking Cessation			
bupropion SR Chantix® Chantix® DS PK nicotine gum/lozenge/patch varenicline		Nicoderm CQ® Patch Nicorette® Gum/Lozenges Nicotrol® Inhaler & NS Zyban®	LENGTH OF AUTHORIZATIONS: 6 months Routine PDL edits
*Stimulants/ADHD Medications (AGE) CLOSED CLASS			
Amphetamine Drugs			LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits *♦ All stimulants (preferred and non-preferred) require the submission of Clinical SA if prescribed for a child less than four or an adult eighteen years and older. Member must meet the minimum FDA approved age. Refer to Stimulant SA form (Stimulant/ADHD Medications SA Form) This does not include nonstimulant agents such as atomoxetine, clonidine ER, guanfacine ER or others *Clinical Criteria for Vyvanse® chewable tab Member must have tried and failed methylphenidate solution
amphetamine salts combo (generic for Adderall IR) amphetamine salts combo XR (generic for Adderall XR) dextroamphetamine tab (generic for Dexedrine) dextroamphetamine cap SR (generic for Dexedrine Spansule) Vyvanse® capsule (lisdexamfetamine)		Adderall® IR (amphetamine salts combo) Adderall®XR Adzenys XR ODT™ Adzenys ER™ susp Adzenys® ER amphetamine sulfate (generic Evekeo®) amphetamine susp (generic Adzenys ER™ susp) Desoxyn® Dexedrine® dextroamphetamine soln	



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		Dyanavel [®] XR susp Evekeo [®] lisdexamfetamine(generic) Vyvanse [®] methamphetamine Mydayis ER TM Procentra [®] soln Vyvanse [®] chewable tab Xelstry TM Zenzedi TM	
Methylphenidate Drugs			
All methylphenidate IR generic methylphenidate soln methylphenidate ER tab (Metadate ER tab) methylphenidate ER (Concerta) Daytrana [®] Transdermal dexmethylphenidate IR dexmethylphenidate XR		Adhansia TM XR Aptensio TM XR Azstarys TM Concerta [®] Cotempla XR-ODT TM Focalin [®] IR & Focalin [®] XR Jornay PM Metadate CD [®] cap & Metadate ER [®] tab methylphenidate CD cap (generic Medadate CD) Methylin ER [®] , soln IR methylphenidate chew methylphenidate LA, SR methylphenidate ER(generic Relexxii [®]) methylphenidate ER(generic Aptensio TM XR) methylphenidate (generic Daytrana [®]) Ritalin [®] IR, LA [®] & SR [®] Relexxii [®] QuilliChew ER TM	

Preferred Agents		Non-Preferred Agents	SA Criteria
		Quillivant™ XR susp	Routine PDL edits plus ♦All Narcolepsy Drugs require submission of Clinical SA. Refer to: Narcolepsy Medications SA Form
Miscellaneous Drugs			
atomoxetine (generic for Strattera®) clonidine ER guanfacine ER		Intuniv® Onyda™ XR Qelbree®	
♦ Narcolepsy Drugs			
armodafinil modafinil Sunosi™		Nuvigil™ Provigil® Wakix®	
Dermatologic			
*Acne Agents, Topical (AGE)			
Combo Benzoyl Peroxide, Clindamycin, Erythromycin & other Top		LENGTH OF AUTHORIZATIONS: 1 year	
Acne Medication gel, lot benzoyl peroxide wash, cr, gel, lot (OTC) clindacin ETZ 1% pledget clindamycin ph 1% solution, pledget, swab, gel, lotion clindamycin/benzoyl peroxide (Duac®) erythromycin solution Panoxyl 4 Acne Cr Wash (OTC) Panoxyl 10 cleansing bar, foaming wash (OTC)	Acanya™ w/pump Acne Clearing System® (OTC) Aczone® Gel and Gel Pump Aklief® Amzeeq™ Arazlo™ Avar Cleanser, Medicated Pad Avar-E Avar-E LS Avar LS Cleanser, Medicated Pad Azelex® Benzaclin® & Benzaclin® Pump BP 10-1	Routine PDL edits plus *♦ <u>Clinical Criteria for Dermatologic Acne Agents</u> - Prescriptions for members over the age of 18 years will require the submission of a SA to evaluate treatment diagnosis; AND - Drugs are intended for acne only. SA for a cosmetic indication cannot be approved.	



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
	<i>Benzefoam™ regular & Ultra™</i> <i>Benzepro</i> <i>benzoyl peroxide wash/cr/gel/</i> <i>lotion/foam/towelette (RX)</i> <i>benzoyl peroxide 6%, 9%</i> <i>cleanser (OTC)</i> <i>BPO Kit</i> <i>Cabtreo</i> <i>Cleocin T®</i> <i>Clindacin™ Pac Kit</i> <i>Clindagel®</i> <i>clindamycin phosphate (generic</i> <i>for Clindagel®)</i> <i>clindamycin/benzoyl peroxide</i> <i>(generic for Acanya® Pump,</i> <i>Benzaclin®, Onexton)</i> <i>clindamycin phosphate foam, el,</i> <i>med swab</i> <i>clindamycin/tretinoin (generic</i> <i>Veltin®)</i> <i>dapsone 5% gel</i> <i>Delos™ Lotion</i> <i>Duac® gel</i> <i>erythromycin gel/med. swab</i> <i>Evoclin™</i> <i>Inova™</i> <i>Lavoclen™ Cleanser & Kit</i> <i>Neuac™ topical/kit</i> <i>Onexton™ gel & w/Pump</i> <i>Ovace® Wash</i> <i>Ovace® Plus</i> <i>shampoo/cr/lotion/foam</i> <i>Pacnex® HP & LP</i> <i>Panoxyl® 3% cr (OTC)</i> <i>Promiseb® Complete</i>	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

	Preferred Agents	Non-Preferred Agents	SA Criteria
		Rosula Cleanser Se BPO® Wash Kit & cleanser Sulfacetamide Cleanser ER Sulfacetamide Cleanser, Shampoo, Susp Sulfacetamide Sodium/Sulfur Cr, Susp, Sunscreen SSS 10-5 Foam Sulfacetamide/Sulfur/Cleanser, Cleanser Kit, Lotion Med. Pad Sulfacetamide/Sulfur/Urea Cleanser Sumadan Wash, Kit Sumadan XLT Sumaxin CP Kit Veltin® Winlevi® ZMA Clear Cleanser	
	Retinoids/Combinations, Topical		
	adapalene gel OTC Retin® A 0.025., 0.05, 0.1 % cr & 0.01, 0.025% gel	Acnefree® Severe Kit (OTC) adapalene 0.1% cr/gel/lot adapalene 0.3% gel/gel w/pump adapalene-benzoyl peroxide (gen Epiduo® and Epiduo® Forte) Altreno™ Atralin® 0.05% gel Avage® 0.1% cr Avita® 0.025% cr/gel Differin® 0.1% cr/gel/lot RX Differin® 0.3% gel pump Differin 0.1% gel (OTC) Epiduo® & Epiduo® Forte Gel *Fabior™ 0.1% Foam Renova® 0.02% cr/cr pump	*♦ Age Edit for Fabior™ Foam • Members must be between the ages of 12 and 18 years of age

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		Retin [®] -A Micro 0.04%, 0.1% gel Retin [®] -A Micro 0.08%, 0.04%, 0.1% pump Tazorac [®] cr/gel tazarotene 0.1% cr, foam tretinoin 0.025, 0.1% cr & 0.01, 0.025, 0.05% gel tretinoin microsphere 0.04%, 0.08%, & 0.1% gel Twyneo [®] Ziana [®] gel	
Antifungal Topical			
antifungal 1% cr, powder antifungal 2% cr ciclopirox soln ciclodan 8% soln clotrimazole cr (OTC & Rx) clotrimazole soln (Rx) clotrimazole-betamethasone cr ketoconazole shampoo ketoconazole cr miconazole cr/spray (OTC) nystatin cr/oint/ powder terbinafine cr (OTC) tolnaftate cr/powder(OTC)	Alevazol [®] OTC Azolen [®] Tincture OTC Bensal HP [®] Ciclodan [®] Kit ciclopirox cr/shampoo/gel ciclopirox kit ciclopirox suspension clotrimazole soln (OTC) clotrimazole-betamethasone lot *CNL 8 [™] Kit Desenex [®] Aero Powder (OTC) econazole Ertaczo [®] Exelderm [®] cr & soln Extina [®] Fungi-Nail [®] (OTC) Fungoid [®] Kit (OTC) Fungoid [®] (OTC) *Jublia [®] ketoconazole foam *Kerydin [®] Lamisil AT [®] cr/gel (OTC)	<u>LENGTH OF AUTHORIZATIONS:</u> 6 months Routine PDL edits plus Select non-preferred topical Antifungals (CNL-8 [™] , Jublia [®] , Kerydin [™] , Luzu [®] , Penlac [®]) require the submission of a Clinical SA. Refer to Antifungal Topical SA Form	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
	Lamisil® Spray (OTC) Loprox® Kit/ Shampoo/susp Lotrimin AF® cr (OTC) Lotrimin Ultra® (OTC) Lotrisone® cr luliconazole (generic for Luzu) **Luzu® miconazole nitrate (OTC) miconazole Oint/ powder (OTC) Mentax® Naftin® cr/gel Naftifine CR Nyata Kit® Nizoral A-D® Shampoo (OTC) nystatin-triamcinolone cr/oint oxiconazole cr (generic Oxistat®) Oxistat® cr Oxistat® Lotion Pediaderm AF® PediPak® *Penlac® tavaborole (generic Kerydin®) Tinactin® Aero powder/ spray(OTC) tolnaftate aero powde/spray (OTC) tolnaftate soln (OTC) Vusion®	
♦Immunomodulators, Atopic Dermatitis		
Adbry™ **Dupixent® *Elidel® **Eucrisa™ *pimecrolimus (AG) *tacrolimus	*Ebglyss™ ***Nemluvio® ***Opzelura™ pimecrolimus (generic Elidel) Protopic® *****Vtama®	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus ♦ Clinical Criteria for Atopic Dermatitis-all drugs Member must have an FDA approved diagnosis: Atopic dermatitis AND

	Preferred Agents	Non-Preferred Agents	SA Criteria
		Zoryve cream, 0.15% ****Zoryve foam 0.3%	- Age and severity for drug as follows below: - Adbry™: moderate to severe for ages ≥ 12 years - Ebglyss™: moderate to severe for ages ≥ 12 years - Elidel®: mild to moderate for ages ≥ 2 years - Eucisa™: mild to moderate for ages ≥ 3 months - Dupixent®: moderate to severe for ages ≥ 6 months - Nemluvio®: moderate to severe for ages ≥ 12 years - Opzelura™: mild to moderate for ages ≥ 12 years - Protopic® 0.03%: moderate to severe for ages ≥ 2 years - Protopic® 0.1%: moderate to severe for ages ≥ 16 years - Vtama® for ages ≥ 2 years - Zoryve® cream 0.15%: mild to moderate for ages ≥ 6 years - AND the one that applies: *Clinical Criteria for Elidel®, pimecrolimus (AG), or tacrolimus - Prior documented trial & failure of 8 weeks of one (1) topical corticosteroid of medium to high potency (e.g., mometasone, fluocinolone) **Clinical Criteria for Eucrisa™, Dupixent® and Adbry® (reviewed electronically, AutoPA look back of 180 days for no more than a 30 day) - Prior documented trial & failure of 30-day trial (or contraindication) of - One (1) topical corticosteroid of medium to high potency (e.g., mometasone, fluocinolone) OR - One (1) topical calcineurin inhibitors (tacrolimus or pimecrolimus) *** Clinical Criteria for Ebglyss™, Nemluvio® Opzelura™ (topical Janus kinase inhibitor), Vtama and Zoryve cream 0.15% - Prior documented trial & failure of 8 weeks of each - One (1) topical corticosteroid of medium to high potency (e.g., mometasone, fluocinolone) AND - One (1) topical calcineurin inhibitors (tacrolimus or pimecrolimus) AND - A trial and failure of Dupixent® Other indications: Opzelura cream can not be approved for the indication of nonsegmental vitiligo in adult and pediatric members ≥ 12 years old

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria				
		****<u>Clinical Criteria for Zoryve foam 0.3%</u> - Member is 9 years of age or older and has a diagnosis of seborrheic dermatitis - Member has a history of failure, contraindication, or intolerance to BOTH of the following therapies: 30 days of therapy with ONE (1) topical corticosteroid (i.e., clobetasol, fluocinonide or mometasone cream/ointment/solution) in the past 180 days AND 30 days of therapy with ONE (1) topical antifungal (ciclopirox shampoo/gel, ketoconazole cream/shampoo, selenium sulfide 2.25% shampoo) in the past 180 days OR - Member is 12 years of age or older and has a diagnosis of plaque psoriasis - Member has a history of failure, contraindication, or intolerance to calcipotriene cr/oint/soln ***<u>Clinical Criteria for Nemluvio® for Prurigo nodularis</u> - Age 18 or older - A diagnosis of prurigo nodularis - An 8-week trial and failure of Dupixent *****<u>Clinical Criteria for Vtama® for Plaque Psoriasis</u> - Age 18 or older - A diagnosis of plaque psoriasis <u>QUANTITY LIMITS for Atopic Dermatitis</u> <table><tr><th>Drug</th><th>Rolling qty limit</th></tr><tr><td>Adbry®</td><td>4 syringes/14 days (initial dose) 4 syringes/28 days (maintenance)</td></tr></table>	Drug	Rolling qty limit	Adbry®	4 syringes/14 days (initial dose) 4 syringes/28 days (maintenance)
Drug	Rolling qty limit					
Adbry®	4 syringes/14 days (initial dose) 4 syringes/28 days (maintenance)					

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents		SA Criteria	
				Dupixent	2 syringes (or pens)/14 days (initial dose), 2 syringes (or pens)/28 days (maintenance)
				Elidel® (pimecrolimus)	30gm per 30 days
				Eucrisa® (crisaborole)	300gm per year
				Opzelura (ruxolitinib)	240 gm (4 x 60gm) per 30 days
				Protopic® (tacrolimus)	30gm per 30 days
<u>Dupixent other Diagnosis: Fax Form</u>					
♦ Diagnosis of moderate to severe asthma Member must have moderate to severe asthma diagnosed as ONE of the following types: - o Asthma with eosinophilic phenotype with eosinophil count ≥ 150 cells/mcL; OR - o Oral corticosteroid dependent asthma with at least 1 month of daily oral corticosteroid use within the last 3 months; AND - o Member must be 6 years of age or older					
♦ Diagnosis of eosinophilic esophagitis (EoE); - o Member ≥1 years old; AND - o Member weighs ≥ 15 kg; AND - o Prescribed by or consultation with an allergist or gastroenterologist; AND - o Member did not respond clinically to treatment with a topical glucocorticosteroid or proton pump inhibitor					
♦ Diagnosis of chronic rhinosinusitis with nasal polyposis (CRSwNP); - o Member ≥ 12 years old - o Member has inadequate response after 3 consistent months use of preferred PDL intranasal steroids or oral corticosteroids; AND - o Member is concurrently treated with intranasal corticosteroids					
♦ Diagnosis of Prurigo Nodularis for the treatment of adult members with prurigo nodularis (PN) - o Age 18 or older - o Diagnosis of PN					
♦ Diagnosis of inadequately controlled chronic obstructive pulmonary disease (COPD) and an eosinophilic phenotype:					

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
		- o Age 18 or older - o Prescribed by or in consultation with a pulmonologist - o Member has a diagnosis of COPD that is inadequately controlled and a minimum blood eosinophil count of 300 cells/mcL at screening, measured within the past 12 months - o Member is receiving maximal inhaled therapy consisting of a long-acting muscarinic antagonist (LAMA), long-acting beta agonist (LABA), and inhaled corticosteroid (ICS) (or therapy of LAMA plus LABA if ICS is contraindicated) - o Member has a history of at least 2 moderate (requiring treatment with systemic corticosteroids and/or antibiotics) or 1 severe exacerbation(s) (resulting in hospitalization or observation for over 24 hours in an emergency department or urgent care facility) in the previous year, with 1 exacerbation occurring while the member was on maximal inhaled therapy
Psoriasis, Topical		
calcipotriene cr/oint/soln <i>betamethasone/ calcipotriene</i> <i>Calcitrene®</i> <i>calcitriol</i> <i>calcipotriene/betamethasone</i> <i>(generic for Taclonex®)</i> <i>calcipotriene foam</i> <i>Dovonex®</i> <i>Duobrii™</i> <i>*Enstilar® Foam (AGE)</i> <i>Micanol®</i> <i>Sorilux™</i> <i>Taclonex® & Taclonex® Scalp</i> <i>Vectical™</i> <i>Zoryve® 0.3% cream</i>		<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits plus *♦ <u>Clinical Criteria for Enstilar® Foam</u> • Length of Authorization: 4 weeks • Diagnosis of plaque psoriasis; AND • Minimum age of 12 years
Rosacea Agents, Topical		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

<i>Preferred Agents</i>		<i>Non-Preferred Agents</i>	<i>SA Criteria</i>
metronidazole cr/gel		<i>azelaic acid (generic for Finacea®)</i> <i>brimonidine gel pump (generic Mirvaso®)</i> <i>Epsolay®</i> <i>Finacea® foam/gel</i> <i>ivermectin (generic Soolantra)</i> <i>Metrocream®</i> <i>Metrogel®</i> <i>metronidazole lot, gel pump</i> <i>Mirvaso®</i> <i>Noritate®</i> <i>Rhofade®</i> <i>Rosadan™ Kit</i> <i>Soolantra®</i> <i>Zilxi™</i>	<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits
Steroids			
Steroids, Topical Low Potency			<u>LENGTH OF AUTHORIZATIONS:</u> 1 year
hydrocortisone cr/gel/lot/oint hydrocortisone cr/oint OTC hydrocortisone/aloe cr OTC		<i>anusol-hc 2.5% cr</i> <i>alclometasone cr/oint</i> <i>aqua glycolic HC</i> <i>Capex® shampoo</i> <i>Derma-smoothe-FS</i> <i>desonate gel/cr/lot/oint</i> <i>Desowen® lot</i> <i>fluocinolone 0.01% oil</i> <i>Micort™-HC</i> <i>Pediaderm® HC & Pediaderm® TA</i> <i>Scalpicin OTC</i> <i>Texacort®</i>	Routine PDL edits
Steroids, Topical Medium Potency			
fluticasone propionate cr/oint		<i>betamethasone valerate foam</i> <i>Beser Lotion and Kit</i>	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
mometasone furoate cr/oint/soln		<i>clocortolone cr</i> <i>Cloderm®</i> <i>Cordran® tape</i> <i>Cutivate® cr/lot</i> <i>Dermatop® cr/oint</i> <i>Elocon® cr/oint/soln</i> <i>fluocinolone acetonide cr/oint/soln</i> <i>flurandrenolide cr/oint/tape</i> <i>fluticasone propionate lot</i> <i>hydrocortisone valerate cr/oint</i> <i>hydrocortisone butyrate (generic for Locoid Lotion)</i> <i>hydrocortisone butyrate cr/oint/soln/ emollient</i> <i>Locoid Lipocream</i> <i>Locoid Lotion</i> <i>Luxiq®</i> <i>Momexin®</i> <i>prednicarbate cr/oint</i> <i>Synalar®</i> <i>Synalar TS®</i> <i>Ticanase kit®</i>	
Steroids, Topical High Potency			<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits plus * ♦ <u>Clinical Criteria for Sernivo™</u> - Length of Authorization: 4 weeks (treatment beyond 4 weeks is not recommended). - Member must have diagnosis of mild to moderate plaque psoriasis: AND - At least 18 years of age
betamethasone valerate cr/lot/oint triamcinolone acetonide cr/lot/oint		<i>amcinonide cr/lot/oint</i> <i>betamet diprop & prop gly cr/lot/oint</i> <i>betamet diprop cr/foam/gel/lot/oint</i> <i>DermacinRx® SilaPak™</i> <i>DermacinRx® Silazone</i> <i>DermacinRx® Therazole Pak</i> <i>desoximetasone cr/gel/oint/spray</i>	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>desoximetasone (generic Topicort® spray) diflorasone diacetate cr/oint Diprolene® lot/oint DiproleneAF® cr Ellzia™ Pak Kit fluocinonide cr/ emollient/ gel/oint/soln halcinonide cr/soln Halog® cr/oint/soln Kenalog® aerosol Loprox® Suspension Kit *Sernivo™ Silazone® II Kit Topicort® cr/gel/oint/spray Trianex® oint triamcinolone spray triamcinolone/dimethicone Vanos® cr Whytederm® Tdpak</i>	
Steroids, Topical Very High Potency			
clobetasol emollient clobetasol propionate cr/gel/oint/soln halobetasol propionate cr		<i>Apexicon™ E Bryhali™ (halobetasol propionate) clobetasol lot/shampoo clobetasol propionate foam/spray Clobex® lot/shampoo/spray Clobetex® Kit Clodan® kit Halonate® halobetasol prop foam halobetasol prop oint (generic for Lexette®) Impeklo™</i>	

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Olux[®]</i> <i>Olux[®]-E</i> <i>Temovate[®] oint</i> <i>Ultravate[®] cr/lotion/oint</i> <i>Ultravate[®] PAC & Ultravate[®] X</i>	
Endocrine and Metabolic Agents			
Androgenic Agents (Testosterone – Topical)			
Androderm[®] Patch testosterone pump (generic for AndroGel[®] Pump)	<i>AndroGel[®] packet, patch, pump</i> <i>Axiron[®] soln</i> <i>Fortesta[®]</i> <i>Natesto Nasal Gel[®]</i> <i>Testim[®]</i> <i>testosterone (generic for Axiron[®])</i> <i>testosterone gel/packet/pump (generic for VogelxoTM)</i> <i>testosterone (generic for Fortesta[®])</i> <i>VogelxoTM gel/packet/pump</i> <i>XyostedTM</i>	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits	
Antihyperuricemics			
allopurinol 100mg and 300mg colchicine tabs Probenecid[®] probenecid & colchicine	<i>allopurinol 200MG</i> <i>colchicine caps</i> <i>Colcrys[®]</i> <i>febuxostat (generic Uloric[®])</i> <i>Gloperba[®]</i> <i>Mitigare[®]</i> <i>Uloric[®]</i> Zyloprim[®]	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits	
Contraceptives*(long-acting IUDs & injectable)			

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Depo-Provera® 104mg Kyleena™ Liletta® medroxyprogesterone 150mg Mirena® Nexplanon® Paragard® Skyla®		Depo-Provera® 150mg	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
Diabetes Hypoglycemics: Injectable Amylin Analogs			
		*SymLin® *SymLin® Pens	LENGTH OF AUTHORIZATIONS: 1 year *Clinical Criteria for Injectable Amylin Analogs - Member must have a history of at least a 90day trial of insulin. - SymLin® is only indicated as adjunct therapy with insulin. - Member meeting ALL of the following criteria may be approved: - Diagnosis of Type 1 or 2 diabetes; AND - On insulin therapy, AND - Failure to achieve adequate glycemic control (HbA1c ≤ 6.5%)
♦Diabetes Hypoglycemics: Injectable and Oral Incretin Mimetics CLOSED CLASS			
Byetta® Trulicity™ Victoza®		Bydureon® BCise® exenatide liraglutide Mounjaro® Ozempic® Rybelsus Tab® Soliqua® 100/33 Tanzeum™ Xultophy® 100/3.6	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits Preferred Agents Clinical Criteria: Diagnosis of type II diabetes Non-Preferred Incretin Mimetics SA Form

Preferred Agents		Non-Preferred Agents	SA Criteria
Diabetes Hypoglycemics: Injectable Insulins			
Insulin Mix		LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits	
Humulin® 70/30 pen/vial(OTC) insulin aspart/insulin aspart protamine vial insulin lispro protamine mix kwikpen (AG)	Humalog® Mix 50/50 Kwikpen Humalog® Mix 75/25 Kwikpen Humalog Mix 75/25 vial Novolin® 70/30 vial (OTC) Novolog® Mix 70/30 pen/vial		
Insulin N			
Humulin® N pen/vial (OTC)	Humulin® N pen Novolin® N vial (OTC)		
Insulin R			
Humulin® R pen/vial	Novolin® R vial (OTC)		
Long-Acting Insulins			
Lantus® Solostar® & vial *Toujeo Solostar® pen	Basaglar® KwikPen® insulin degludec insulin glargine max solo u300 insulin glargine solostar u300 insulin glargine-yfgn Rezvoglar® Kwikpen Semglee™ Toujeo® Max Solostar® 300 Units/mL Tresiba® FlexTouch® Pen 100 U/ml, 200 U/ml		
Rapid-Acting Insulins			
Humulin 500 U/M pen/vial insulin lispro vial insulin lispro Jr. Kwikpen insulin lispro Pen	Admelog® Solostar Pen/vial Afrezza® cartridge (inhalation) Apidra® cartridge/Solostar/vial Fiasp®/FlexTouch® Pen/PenFill® Humalog Kwikpen 200 unit/ml		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
insulin aspart cartridge pen/vial insulin aspart/insulin aspart protamine insulin pen		Humalog vial/pen Humalog Cartridge Humalog Kwikpen 100 unit/ml Humalog Jr. Kwikpen Lyumjev TM Merilog TM Novolog [®] cart/vial/Flexpen	
Diabetes Oral Hypoglycemics			
Oral Hypoglycemics Alpha-Glucosidase Inhibitors		LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus ♦ Age edit for all Oral Hypoglycemics is 18 years of age or older, except Metformin which is 10 years of age.	
acarbose	Glyset [®] miglitol (generic Glyset [®])		
Oral Hypoglycemics Biguanides			
metformin metformin ER (generic for Glucophage [®] XR)	Fortamet [®] Glucophage [®] IR & XR Glutmetza [®] Riomet [®] susp metformin 625 mg metformin ER (generic Fortamet [®]) metformin ER (generic Glumetza [®]) metformin (generic Riomet [®])		
Oral Hypoglycemics Biguanide Combination Drugs			
glyburide/metformin	glipizide/metformin Glucovance [®]		
Oral Hypoglycemics DPP-IV Inhibitors & Combination CLOSED			
Janumet [®] Janumet XR [®] Januvia [®] Jentadueto TM	alogliptin (generic Nesina TM) alogliptin/metformin (generic Kazano TM)		



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Jentadueto XR TM Tradjenta TM		alogliptin/pioglitazone (generic) Oseni TM Brynovin TM Glyxambi [®] Kazano TM Nesina TM Oseni TM Qtern [®] saxagliptin hcl(generic) Onglyza TM saxagliptin/metformin ER (generic Kombiglyze XR TM) Steglujan TM Trijardy TM XR Zituvio TM Zituvimet TM Zituvimet TM XR	
Oral Hypoglycemics Meglitinides			
nateglinide repaglinide		Prandin [®] & PrandiMet TM repaglinide/metformin Starlix	
Oral Hypoglycemics Second Generation Sulfonylureas			
glimepiride 1,2,4 mg glipizide glipizide ER glyburide glyburide micronized		Amaryl [®] Diabeta [®] glimepiride 3mg Glucotrol [®] Glucotrol XL [®]	
Oral Hypoglycemics Sodium Glucose Co-Transporter 2 Inhibitor CLOSED CLASS			

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Farxiga TM Jardiance [®] Synjardy [®] Synjardy [®] XR Xigduo TM XR		dapagliflozin dapagliflozin-metformin ER Inpefa TM Invokana TM Invokamet TM Invokamet TM XR Segluromet TM Steglatro TM	
	Oral Hypoglycemics Thiazolidinediones		
pioglitazone		Avandia [®] Actoplus Met [®] IR & XR Actos [®] Avandaryl [®] Avandamet [®] Duetact [®] pioglitazone/metformin pioglitazone/glimepiride	
Erythropoiesis Stimulating Proteins			
Epogen [®] Retacrit TM (PFIZER)		Aranesp [®] vial/syringe Mircera [®] Procrit [®] Reblozyl [®] Retacrit TM (VIFOR) Vafseo [®]	<u>LENGTH OF AUTHORIZATIONS:</u> for duration of the prescription up to 6 months Routine PDL edits
Glucagon Agents CLOSED CLASS			
Baqsimi nasal Proglycem suspension oral Zegalogue Autoinjector & syringe SQ		diazoxide suspension oral Glucagon emergency kit (Lilly) inj Glucagon inj Glucagon emergency kit (Fresenius and Amphastar) inj Gvoke pen, syringe, vial SQ	<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits

Preferred Agents	Non-Preferred Agents	SA Criteria
Glucocorticoids, Oral		
budesonide EC dexamethasone soln/tab hydrocortisone methylprednisolone dose pk methylprednisolone 4 mg tab prednisolone sod phosph soln prednisolone soln prednisone soln/tab/dose pk	Alkindi® Sprinkle Cortef® cortisone acetate dexamethasone elixir/intensol Dexpak® Entocort® EC Eohilia™ Flo-Pred® Hemady® Medrol® dose pk/tab methylprednisolone 8,16 & 32mg tab Millipred DP® tab Does Pk Millipred® soln/tab Orapred® ODT Ortikos™ prednisolone sod phosphate ODT/soln prednisone intensol Rayos® DR tab TaperDex® Tarpeyo™ Veripred®	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
*Growth Hormone		
CLOSED CLASS		
Genotropin® Cartridge, Miniquick Norditropin FlexPro®	Humatrope® cartridge/vial Ngenla™ Nutropin AQ® NuSpin™ Omnitrope® cartridge/vial Serostim® vial Skytrofa™ Sogroya® Zomacton® vial	LENGTH OF AUTHORIZATIONS: 1 year ♦ALL Growth Hormone drugs (preferred and non-preferred) require the submission of a Clinical SA. Refer to (Growth Hormone SA Fax Form)

Preferred Agents	Non-Preferred Agents	SA Criteria
*Hereditary Angioedema (HAE) Agents		
Berinert® Cinryze™ icatibant (generic Firazyr®) Kalbitor® Sajazir™	Andembry® Ekterly® Firazyr® Haegarda® Orladeyo™ Ruconest® Takhzyro™	<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits plus *♦ALL Hereditary Angioedema drugs (preferred and non-preferred) require the submission of a Clinical SA. Refer to Hereditary Angioedema (HAE) SA Form **Black box warning KALBITOR® Anaphylaxis has been reported after administration of KALBITOR®. Because of the risk of anaphylaxis, KALBITOR should only be administered by a healthcare professional with appropriate medical support to manage anaphylaxis and hereditary angioedema. Healthcare professionals should be aware of the similarity of symptoms between hypersensitivity reactions and hereditary angioedema and members should be monitored closely.
*Pancreatic Enzymes		
Creon® Zenpep®	Pancreaze® Pertzye® Ultresa® Viokace®	<u>LENGTH OF AUTHORIZATION:</u> 1 year Routine PDL edits plus *Clinical Criteria for Pancreatic Enzymes - All drugs preferred and non preferred require a diagnosis of pancreatic insufficiency due to cystic fibrosis or chronic pancreatitis or pancreatectomy. - If a member has a diagnosis of Cystic Fibrosis they do not have to try and fail of a preferred. - If member has a feeding tube, then two different pancreatic enzymes can be approved for use together.
Progestational Agents CLOSED CLASS		
medroxyprogesterone acetate (tab only) norethindrone acetate progesterone cap/inj	Aygestin® Crinone (Vaginal) Depo-Provera 400 MG/ML Prometrium® Provera®	<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Vaginal Estrogens			
Premarin® Vaginal cr Vagifem® Vaginal tab	Estrace® Vaginal cr estradiol cream (gen Estrace®) estradiol vaginal tab Estring® Vaginal ring Femring® Vaginal ring Imvexxy® Intrarosa™ Yuvafer®	LENGTH OF AUTHORIZATIONS: 6 months Routine PDL edits	
Weight Management Agents CLOSED CLASS			
orlistat Xenical phendimetrazine IR and ER phentermine benzphetamine diethylpropion IR and ER	Imcivree SQ Lomaira™ phentermine/topiramate ER Saxenda® Wegovy® Zepbound™	Length of authorization: As indicated on fax form Routine PDL edits plus Weight Management Agents SA Form GLP-1 Receptor Agonist For Cardiovascular Risk Reduction SA Form GLP-1 Receptor Agonist For Obstructive Sleep Apnea SA Form GLP-1 Receptor Agonists for Metabolic Dysfunction-Associated Steatohepatitis SA Form ♦ The selected GLP-1 Receptor Agonist is Saxenda	
Gastrointestinal			
G I Antibiotics			
metronidazole 250mg, 500mg tab vancomycin cap vancomycin for reconstitution oral soln kit (Firvanq™ soln)	*Aemcolo™ Alinia® Difcidia® Firvanq™ soln Flagyl® cap/ER Likmez™ metronidazole 125mg metronidazole cap neomycin	Length of authorization: 1 year Routine PDL edits *♦Clinical Criteria for Aemcolo Diagnosis of travelers' diarrhea with moderate diarrhea that is distressing or interferes with planned activities AND	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
	nitazoxanide (generic Alinia®) paromomycin Solosec® Tindamax® tinidazole **Xifaxan® vancomycin sol Vancocin® ***Vowst™	- Documentation of a history of failure, contraindication, or intolerance to one or more of the following: Azithromycin (generic Zithromax), Ciprofloxacin (generic Cipro), Levofloxacin (generic Levaquin), Ofloxacin (generic Floxin) **♦ Clinical Criteria for Xifaxan Xifaxan®: 200 mg tabs: – - Treatment of travelers' diarrhea caused by noninvasive strains of E. coli in members ≥ 12 years of age – - Quantity limit = 9 tabs per claim - Length of authorization 1 month Xifaxan®: 550 mg tabs: – - Reduction in risk of overt hepatic encephalopathy recurrence in members ≥ 18 years of age. 2 tablets/day OR – - Treatment of irritable bowel syndrome with diarrhea (IBS-D) in members ≥ 18 years of age – 3 times a day for 14 days. 42 tablets /14 days, can be retreated up to two times with the same regimen. - Max 126 tablets per 365 days Length of authorization = 3 months ***♦ Clinical Criteria for Vowst™: - Member ≥ 18 years of age; AND - Member has a confirmed diagnosis of recurrent Clostridioides difficile infection (CDI) with a total of ≥3 episodes of CDI within 12 months; AND - Antibiotic treatment for recurrent CDI must be completed 2 to 4 days prior to initiation of Vowst therapy; AND - Member will take 10 oz of magnesium citrate (or 250 mL polyethylene glycol electrolyte solution for members with impaired kidney function) the evening prior to initiation of Vowst therapy; AND

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
		- Member must not have absolute neutrophil count (ANC) < 500 cells/mm³, toxic megacolon, or small bowel ileus - Quantity limit = 12 capsules per 3 days - Renewal Criteria: Not applicable Length of authorizations: 30 Days
Antiemetic/Antivertigo Agents		
Cannabinoids (delta-9THC derivatives)		LENGTH OF AUTHORIZATIONS: 6 months
*dronabinol cap	<i>*Marinol[®]</i> <i>*Syndros[®]</i>	*Dronabinol plus all non-preferred Antiemetic/Antivertigo agents require submission of a Clinical SA. Refer to Antiemetic/Antivertigo SA form
5HT₃ Receptor Blockers		LENGTH OF AUTHORIZATIONS: 3 months, unless otherwise noted
ondansetron ODT/soln/tab	<i>Anzemet[®]</i> <i>Akynzeo[®]</i> <i>granisetron tab, vial</i> <i>ondansetron vial, amp, syringe</i> <i>palonosetron vial, syringe</i> <i>Sancuso[®] patch</i> <i>Sustol[®]</i>	Routine PDL edits plus: For ondansetron 16mg ODT: The member has tried and failed or is intolerant to ondansetron 8mg ODT.
NK-1 Receptor Antagonist		LENGTH OF AUTHORIZATIONS: Length of chemotherapy regimen or a maximum of 6 months
	<i>Aponvie[™]</i> <i>aprepitant capsule/pack</i> <i>Cinvanti[™] (Intraven)</i> <i>Emend[®] Bi Pak/ cap</i> <i>Emend[®] Tri-fold pack/susp</i> <i>Emend[®] vial</i> <i>Focinvez[™]</i> <i>fosaprepitant vial</i>	
Other		LENGTH OF AUTHORIZATIONS: 1 year, unless otherwise noted
*Diclegis[®] meclizine (OTC, Rx) metoclopramide soln, tab, vial	<i>Antivert[®]</i> <i>Barhemsys[®]</i> <i>*Bonjesta[™]</i> <i>Compazine[®] supp/tab</i>	**♦Promethazine products approved for members ≥ 2 years

Preferred Agents	Non-Preferred Agents	SA Criteria
**Phenadoz® supp prochlorperazine tab **promethazine soln, syrps, tab <i>(AGE)</i>	<i>Compro®</i> <i>dimenhydrinate tab, vial</i> <i>doxylamine succinate/ vit B6</i> <i>Metozolv® ODT</i> <i>metoclopramide ODT</i> **Phenergan® (AGE) <i>prochlorperazine supp, vial</i> **promethazine 50mg supp, vial, <i>ampul (AGE)</i> <i>Reglan®</i> <i>scopolamine (gen Transderm-Scop®)</i> <i>Tigan®</i> <i>Transderm-Scop®</i> <i>trimethobenzamide</i>	*♦Bonjesta®/Diclegis®: Approve through EDD. member must be pregnant and at least 18 years of age.
*GI Motility, Chronic		
**Linzess™ lubiprostone and AG Movantik®	<i>alosetron</i> <i>Amitiza®</i> <i>Ibsrela®</i> <i>Lotronex®</i> <i>Motegrity™</i> <i>prucalopride</i> <i>Relistor®</i> <i>Symproic®</i> <i>Trulance™</i> <i>Viberzi™</i>	<u>LENGTH OF AUTHORIZATIONS:</u> 6 months Routine PDL edits plus *♦All GI Motility drugs (preferred and non-preferred) require the submission of a Clinical SA. Refer to <u>Chronic GI Motility SA form</u> **Pediatric use of Linzess 72 mcg only: 1. Diagnosis of functional constipation (FC) 2. Member is 6 to 17 years of age 3. Prescriber attestation that other causes of constipation have been ruled out 4. Member has had treatment failure on at least TWO of the following: Osmotic Laxatives (i.e., lactulose, polyethylene glycol, sorbitol), OR Bulk Forming Laxatives (i.e., psyllium, fiber), OR Stimulant Laxatives (i.e., bisacodyl, senna)
H. Pylori Treatment		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Pylera®		bismuth-metronidazole-tetracycline (gen Pylera®) <i>Helidac®</i> <i>Omeclamox®-Pak</i> <i>lansoprazole/amoxicillin/clarithromycin</i> <i>Prevpac®</i> <i>Talicia®</i> <i>Voquezna®</i>	LENGTH OF AUTHORIZATIONS: 14 days Routine PDL edits
Laxatives & Cathartics CLOSED CLASS			
Bowel Prep Agents			LENGTH OF AUTHORIZATIONS: 1 year
Gavilyte-C solution Gavilyte-G solution PEG 3350/electrolytes solution for reconstitution PEG-3350/flavor packs solution for reconstitution PEG 3350/electrolytes powder pack (AG) (authorized generic of Moviprep)		<i>Clenpiq</i> <i>Golytely</i> <i>Moviprep Powder Pack and generics</i> <i>Nulytely With Flavor Packs</i> <i>Plenvu</i> <i>sodium, potassium, magnesium sulfates (generic Suprep)</i> <i>Suflave Powder</i> <i>Suprep</i> <i>Sutab</i>	Routine PDL edits
Constipation			
lactulose solution		*lactulose packet *Kristalose Packet	* Kristalose: Must have tried, failed or be intolerant to generic lactulose solution
Proton Pump Inhibitors			
omeprazole RX pantoprazole Protonix® susp		<i>Aciphex® DR tab/sprinkle</i> <i>dexlansoprazole dr (gen Dexilant®)</i> <i>Dexilant®</i> <i>esomeprazole magnesium cap/susp/tab</i>	LENGTH OF AUTHORIZATIONS: 12 weeks; unless member meets an exception; then 1 year Routine PDL edits plus

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		esomeprazole strontium lansoprazole cap Konvomep® Nexium® omeprazole OTC omeprazole magnesium OTC omeprazole/sodium bicarbonate pantoprazole susp (generic Protonix® susp) Prevacid® RX, OTC& SoluTab Prilosec® Rx & Susp Protonix® rabeprazole DR tab Zegerid® cap/OTC/susp packet	*♦All non-preferred Proton Pump Inhibitors require submission of a Clinical SA. Refer to Proton Pump Inhibitor SA form Preferred agents require a SA for use over 90 days
Ulcerative Colitis Oral and Rectal Preparations (5-ASA DERIVATIVES)			
Ulcerative Colitis – Oral			LENGTH OF AUTHORIZATIONS: 1 year
Apriso® balsalazide disodium Pentasa® sulfasalazine DR & IR	Asacol® HD Azulfidine® IR & DR budesonide ER (gen Uceris™) Colazal® Delzicol™ Dipentum Lialda® mesalamine (gen Apriso®) mesalamine (gen Asacol® HD) mesalamine (gen Delzicol) mesalamine (gen Lialda®) mesalamine ER (gen Pentasa®) Uceris™	Routine PDL edits	
Ulcerative Colitis – Rectal			
mesalamine rectal supp mesalamine enema	budesonide (generic Uceris foam) Canasa® rectal supp mesalamine kit		

Preferred Agents		Non-Preferred Agents	SA Criteria
		Rowasa [®] enema/kit SFRowasa [®] Uceris [®] foam	
Genitourinary			
Alpha-Blockers and Androgen Hormone Inhibitors For Benign Prostatic Hypertrophy (BPH)			
Alpha-Blockers for BPH		LENGTH OF AUTHORIZATIONS: 1 year	
alfuzosin tamsulosin HCL	Flomax [®] Rapaflo [®] silodosin (generic Rapaflo) Uroxatral [®]	Routine PDL edits	
Androgen Hormone Inhibitors for BPH			
dutasteride finasteride 5 mg	Avodart [®] dutasteride/tamsulosin Jalyn [®] Proscar [®]		
Androgen Hormone Inhibitors and Phosphodiesterase (PDE) 5 Inhibitor for BPH			
	Entadfi™		
Phosphodiesterase (PDE) 5 Inhibitor for BPH			
	*Cialis [®] (ST) tadalafil 5 mg (ST)	*Step edit for Cialis [®] & tadalafil 2.5 and 5mg - trial and failure of Alpha Blockers and Androgen Inhibitors for BPH. Prescriber must attest that the member is not on the state’s sex offenders list. Consult or evaluation by Urologist.	
Urinary Antispasmodics (Bladder Relaxant)			
fesoterodine fumarate ER Myrbetriq™ tab oxybutynin tab/syrup oxybutynin ER solifenacin	darifenacin ER (generic Enablex [®]) Detrol [®] & Detrol [®] LA Ditropan [®] & *Ditropan [®] XL flavoxate Gelnique™ gel/gel Pump Gemtesa [®] Myrbetriq™ Granules Oxytrol [®] transdermal includes OTC		

Preferred Agents		Non-Preferred Agents	SA Criteria
		Sanctura XR trospium IR & ER tolterodine IR & ER Toviaz™ VESIcare® and LS	
Immunological Agents			
*♦Multiple Sclerosis		CLOSED CLASS	
Avonex® Avonex® Adm Pack Copaxone 20 mg syringe® dimethyl fumarate and Starter Pack fingolimod **Kesimpta® (ST) teriflunomide (generic Aubagio®)		Aubagio® Bafiertam™ Betaseron® Briumvi™ Copaxone® 40 mg syringe® Extavia® Kit Gilenya® glatiramer 20 mg/ml syringe Glatopa™ Mavenclad® Mayzent® Ocrevus® Ocrevus Zunovo™ Plegridy® Ponvory™ Rebif® SQ Rebif® Rebidose Pen® Tascenso ODT™ Tecfidera® Tecfidera® Starter Pack Tysabri® Vumerity™ Zeposia®	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits plus *Adherence to the documented PI age and diagnosis required, reviewed electronically, AutoPA **Kesimpta® requires step trial of dimethyl fumarate (generic Tecfidera®) or a preferred Injectable agent, to be determined by an AutoPA. Multiple Sclerosis SA Form Briumvi SA Form Ocrevus/Ocrevus Zunovo SA Form Tysabri SA Form Ampyra® and dalfampridine ER require the submission of a Clinical SA. Refer to MS - Ampyra® SA form
Drugs to improve walking in members with (MS)			

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
dalfampridine ER (generic Ampyra®)	Ampyra®	
♦Cytokine and CAM Antagonists And Related Agents		CLOSED CLASS
Enbrel® Pen, Sureclick, Syringe, Vial Humira® Pen, Syringe infliximab (gen Remicade®)	Abrilada™ Actemra® SQ & ACTPEN adalimumab-aacf adalimumab-aaty adalimumab-adbm adalimumab-adaz adalimumab-fkjp Pen adalimumab-ryvk Amjevita™ Amjevita™ Autoinjector Arcalyst® Avsola™ Bimzelx® Cibinqo™ Cimzia® & Cimzia® Syringe Kit Cosentyx™ Cosentyx™ UnoReady pen Cyltezo® Enspryng™ Entyvio® Hadlima™ Hulio® Hyrimoz® Idacio® Ilaris® Ilumya™ Inflectra® Kevzara® inj, pen Kineret® Olumiant® OmvoH™ Orencia®	LENGTH OF AUTHORIZATION: 1 year Routine PDL edits plus For preferred agents members must meet and FDA approved age and indication. (reviewed electronically, AutoPA look back of 180 days for diagnosis) *All non-preferred Cytokine and CAM Antagonists require submission of a Clinical SA. Refer to Cytokine and CAM Antagonists and Related Agents SA Form ** See Cytokine and CAM Antagonists Appendix A for Clinical Criteria** For a list of Cytokine and CAM Antagonists and criteria for approval see Appendix A

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Otezla</i> [®] <i>Otulf</i> [®] <i>Pyzchiva</i> [®] <i>Remicade</i> [®] <i>Renflexis</i> [®] <i>Rinvoq</i> [®] <i>Rinvoq</i> [®] LQ <i>Selarsdi</i> [®] <i>Siliq</i> [®] <i>Simlandi</i> [™] <i>Simponi</i> [®] <i>Simponi</i> [®] Aria <i>Skyrizi</i> [™] syringe, Pen <i>Spevigo</i> [®] <i>Stelara</i> [®] vial/syringe <i>Steqeyma</i> [®] <i>Sotyktu</i> [™] <i>Taltz</i> [®] <i>Tofidence</i> [™] <i>Tremfya</i> [™] <i>Tyenne</i> [®] <i>Uplizna</i> [®] <i>Velsipity</i> [®] <i>Xeljanz</i> [™] , <i>Xeljanz</i> [™] XR and solution <i>Yesintek</i> [™] <i>Yuflyma</i> [®] <i>Yusimry</i> [™] <i>Zymfentra</i> [™]	
♦Methotrexate CLOSED CLASS			<u>LENGTH OF AUTHORIZATIONS: 1 year</u>
methotrexate tab/PF vial/MDV	<i>Jylamvo</i> [®] <i>Otrexup</i> [®] <i>Rasuvo</i> [™] <i>Trexall</i> [®]		<u>Routine PDL edits</u>



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

	Preferred Agents	Non-Preferred Agents	SA Criteria
		Xatmep TM	
Ophthalmic			
	Antibiotics		
	bacitracin/polymyxin b sulfate oint ciprofloxacin drops erythromycin gentamicin drops/ointment moxifloxacin drops (generic Vigamox) ofloxacin drops polymyxin/trimethoprim tobramycin	AzaSite TM drops bacitracin Besivance [®] drops Ciloxan [®] drops/ointment Garamycin [®] drops/ointment gatifloxacin 0.5% soln Ilotycin [®] levofloxacin drops moxifloxacin drops (generic Moxeza [®]) Natacyn [®] neomycin/polymix/gramicidin neomycin/bacitracin/polymyxin oint Neosporin [®] Ocuflox [®] Polytrim [®] sulfacetamide oint/ soln Tobrex [®] drops/ointment Vigamox [®] Zymaxid [®]	<u>LENGTH OF AUTHORIZATIONS:</u> Date of service only; no refills Routine PDL edits
	Antibiotic/Steroid Combinations		
	neomycin/polymyxin/dexamethasone oint/susp sulfacetamide/prednisolone Tobradex [®] oint tobramycin/dexamethasone susp	Blephamide [®] S.O.P. Maxitrol [®] oint/susp neomycin/bacitracin/poly/HC neomycin/polymyxin/HC Pred-G [®] oint Tobradex [®] ST Zylet [®]	<u>LENGTH OF AUTHORIZATION:</u> Date of service only; no refills Routine PDL edits

Preferred Agents		Non-Preferred Agents	SA Criteria
Antihistamines/Mast Cell Stabilizers			
Antihistamines			LENGTH OF AUTHORIZATIONS: 1 year
Alaway OTC® ketotifen fumerate olopatadine (generic Patanol & Pataday) Zaditor® OTC	<i>alcaftadine (gen Lastacast®)</i> <i>azelastine</i> <i>bepotastine (gen Bepreve®)</i> <i>Bepreve®</i> <i>Elestar®</i> <i>epinastine 0.05% eye drops</i> <i>Lastacast®</i> <i>Optivar®</i> <i>Patanol® Rx and OTC</i> <i>Pataday® Rx and OTC</i> <i>Zerviate™</i>		Routine PDL edits
Mast Cell Stabilizers			
cromolyn sodium	<i>Alocril®</i> <i>Alomide®</i>		
Anti-inflammatory Agents			
Corticosteroids			
Durezol® fluorometholone prednisolone acetate	<i>Alrex™</i> <i>Dexamethasone</i> <i>difluprednate (gen Durezol®)</i> <i>Flarex®</i> <i>FML®, FML Forte®</i> <i>loteprednol etabonate</i> <i>Lotemax™ drops/gel/oint</i> <i>Maxidex®</i> <i>Omnipred®</i> <i>Pred Forte® & Pred Mild®</i> <i>prednisolone sod phosphate</i> <i>Vexol®</i>		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
Immunomodulators CLOSED CLASS		
Restasis[®] Xiidra[®]	<i>Cequa[™]</i> <i>cyclosporine</i> <i>*Eysuvis</i> <i>Miebo[™]</i> <i>Restasis Multidose[®]</i> <i>Tryptyr[®]</i> <i>Tyrvaya[™] Nasal Spray</i> <i>**Verkazia[®]</i>	*♦DUR DURATION LIMIT Eysuvis 1 bottle in 3 months, message returned to pharmacist stating "Limitation Exceeded: Quantity Limit of 1 Bottle per 3 Months. Member needs Intraocular Pressure (IOP) Test. If IOP test completed, Physician to call 1-800-932-6648 for a Clinical SA" **♦Verkazia criteria (PDL criteria do not apply) • Member is ≥ 4 years of age; AND • Diagnosis of moderate to severe vernal keratoconjunctivitis; AND • Trial and failure, contraindication, or intolerance to one of the following: - o Topical ophthalmic "dual-action" mast cell stabilizer and antihistamine (e.g., olopatadine, azelastine) OR - o Topical ophthalmic mast cell stabilizers (e.g., cromolyn); AND • Prescribed by ophthalmologist or optometrist in consultation with an ophthalmologist • Quantity Limit: 120 single-dose vials per 30 days • Length of approval: 1 year
NSAIDs		LENGTH OF AUTHORIZATIONS: Date of service only; no refills Routine PDL edits
diclofenac sodium flurbiprofen sodium ketorolac 0.5%	<i>Acular[®] 0.5% & LS[®] 0.4%</i> <i>Acuvail[®]</i> <i>bromfenac sodium 0.07%</i> <i>bromfenac sodium 0.075%</i> <i>bromfenac 0.09%</i> <i>BromSite[™]</i> <i>*Ilevro[™] 0.3% (QL)</i>	*Ilevro[™] is limited to 1 bottle plus 1 refill

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		<i>Inveltys™ (loteprednol etabonate)</i> <i>ketorolac LS 0.4%</i> <i>Nevanac®</i> <i>Ocufen®</i> <i>Prolensa™</i>	
Glaucoma Agents			
Alpha 2 Adrenergic Agents			LENGTH OF AUTHORIZATIONS: 1 year
Alphagan P® 0.1 & 0.15% brimonidine 0.2%		<i>apraclonidine 0.5% drops</i> <i>brimonidine tartrate 0.1 & 0.15%</i> <i>Iopidine® 0.5% & 1%</i>	Routine PDL edits
Beta Blockers			
<i>carteolol 1%</i> Combigan® <i>levobunolol 0.5%</i> <i>metipranolol 0.3%</i> <i>timolol maleate</i>		<i>Betagan® 0.5%</i> <i>Betimol®</i> <i>betaxolol 0.5%</i> <i>brimonidine-timolol (gen Combigan®)</i> <i>Istalol® 0.5%</i> <i>timolol (generic for Betimol®)</i> <i>timolol (generic for Timoptic Ocudose)</i> <i>Timoptic® drops 0.25% & 0.5%</i> <i>Timoptic® XE 0.25% & 0.5%</i> <i>soln-gel</i>	
Carbonic Anhydrase Inhibitors			
Azopt® <i>dorzolamide</i> <i>dorzolamide/timolol</i>		<i>brinzolamide</i> <i>Cosopt® 0.5%-2%</i> <i>Cosopt® PF</i> <i>Simbrinza™</i> <i>Trusopt® 2%</i> <i>dorzolamide/timolol PF</i>	
Cholinergic Muscarinic Receptor Agonist			*Indicated for the treatment of presbyopia in adults

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
		pilocarpine *VizzTM *VuityTM	
Rho Kinase Inhibitor			
	Rhopressa [®]		
	Rocklatan		
Prostaglandin Analogs			
	latanoprost	bimatoprost	
	Travatan Z [®]	Iyuzeh TM	
		Lumigan [®] 0.03% & 0.01%	
		Rescula [®]	
		tafluprost	
		travoprost 0.004%	
		Vyzulta TM	
		Xalatan [®] 0.005%	
		Xelpros [®] (latanoprost)	
		Zioptan TM	
Respiratory			
*Anti-Allergens, Oral			
Grass Pollen			LENGTH OF AUTHORIZATIONS: 1 year
		*Grastek[®] *Odactra[®] *Oralair[®] SL *RagwitekTM	*♦ All non-preferred Anti-Allergen drugs require the submission of a Clinical SA. Refer to Anti-Allergens, Oral SA Form or Palforzia SA Form
Peanut			
		*Palforzia TM	
Antihistamines: First and Second Generation			
First Generation Antihistamines			LENGTH OF AUTHORIZATIONS: 1 year
	Generic only class	All Brands require a SA	Routine PDL edits

Preferred Agents		Non-Preferred Agents	SA Criteria
Second Generation Antihistamines and Combinations			
cetirizine liquid 1mg/1mL (RX/OTC) cetirizine tabs OTC levocetirizine tab/OTC loratadine tab/syrup OTC	<i>cetirizine chew tab (OTC)</i> <i>cetirizine liquid 5mg/5mL (OTC)</i> <i>cetirizine D tab (OTC)</i> <i>Clarinet[®]</i> <i>Clarinet-D[®]</i> <i>desloratadine ODT</i> <i>fexofenadine</i> <i>fexofenadine/PSE ER</i> <i>fexofenadine suspension</i> levocetirizine sol <i>loratadine ODT</i> <i>loratadine D 12 & 24 hr</i>		
Beta-Adrenergic Agents			
Long Acting Beta Adrenergic s (LABA) MDIs or Nebulizers			LENGTH OF AUTHORIZATIONS: 1 year
arformoterol (authorized generic Brovana[®]) Serevent Diskus[®]	<i>arformoterol (generic Brovana[®])</i> <i>Arcapta DS</i> <i>Brovana[®]</i> <i>formoterol fumarate (generic Perforomist[®])</i> <i>Perforomist[®]</i> <i>Striverdi[®] Respimat</i>		Routine PDL edits
Short Acting Metered Dose Inhalers or Devices			
albuterol HFA (Proair[®]) (AG) albuterol HFA (Proventil[®]) (AG) Ventolin[®] HFA	<i>albuterol HFA (Proair[®])</i> albuterol HFA (Ventolin[®]) <i>albuterol HFA (Proventil[®])</i> <i>levalbuterol tartrate HFA</i> ProAir[®] RespiClick <i>Xopenex[®] HFA</i>		
Short Acting Nebulizers			
albuterol sulfate (premixed)	<i>levalbuterol soln</i>		



Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents	Non-Preferred Agents	SA Criteria
	Xopenex [®]	
COPD: Anticholinergics, Bronchodilators and Phosphodiesterase 4 (PDE4) Inhibitors CLOSED CLASS		
Short Acting Anticholinergics/Short Acting Bronchodilators CLOSED CLASS		
Atrovent HFA [®] ipratropium bromide soln		
Short Acting Anticholinergics/Short Acting Bronchodilators CLOSED CLASS		
Combivent [®] Respimat ipratropium/albuterol nebs	Bevespi Aerosphere [™] Duaklir Pressair	LENGTH OF AUTHORIZATION: 1 year Routine PDL edits
Long Acting Anticholinergics CLOSED CLASS		
Spiriva [®] Spiriva [®] Respimat	Incruse [™] Ellipta [®] Lonhala [™] Magnair [™] tiotropium (generic for Spiriva [®]) Tudorza [™] *Yupelri [™] (revefenacin)	LENGTH OF AUTHORIZATION: 1 year Routine PDL edits plus <u>*Clinical Criteria Yupelri[™] (reviewed electronically, AutoPA)</u> • Diagnosis of COPD AND • Trial/failure of Spiriva[®] Handihaler OR Spiriva[®] Respimat
Long Acting Anticholinergics/Long Acting Bronchodilators CLOSED CLASS		
Anoro [™] Ellipta [®] Stiolto Respimat [™]	umeclidinium-vilanterol	LENGTH OF AUTHORIZATION: 1 year Routine PDL edits
Phosphodiesterase 3 (PDE3) inhibitor and Phosphodiesterase 4 (PDE4) inhibitor CLOSED CLASS		
	Ohtuvayre [™]	

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Phosphodiesterase 4 (PDE4) Inhibitors CLOSED CLASS			
*roflumilast	*Daliresp[®]		<u>LENGTH OF AUTHORIZATION:</u> 1 year <u>*Clinical Criteria for Daliresp[®] and roflumilast</u> • If the member has a diagnosis of severe COPD associated with chronic bronchitis and a history of exacerbations; AND • Trial/failure on at least one first-line or second-line agent (inhaled anticholinergics, long-acting beta agonists or inhaled corticosteroids); AND • Adjunctive therapy (Daliresp[®] must be used in conjunction with first-line or second-line agent).
Corticosteroids: Inhaled and Nasal Steroids			
Inhaled Corticosteroids: Combination Drugs (Glucocorticoid and Long Acting Beta Adrenergic) CLOSED CLASS			<u>LENGTH OF AUTHORIZATIONS:</u> 1 year Routine PDL edits
Advair[®] Diskus Advair[®] HFA Dulera[®] Symbicort[®] Trelegy[®] Ellipta	<i>Airduo[™] Respiclick[®]</i> <i>budesonide-formoterol (generic Symbicort[®])</i> <i>Breo[®] Ellipta[™]</i> <i>Breyna[™] (generic Symbicort[®])</i> <i>Breztri Aerosphere[™]</i> <i>fluticasone/salmeterol (generic Airduo)</i> <i>fluticasone/salmeterol powder (generic Advair)</i> <i>fluticasone/salmeterol HFA (generic Advair HFA)</i> <i>fluticasone-vilanterol (generic Breo[®] Ellipta[™])</i> <i>Wixela[®] (fluticasone/salmeterol)</i>		
Inhaled Corticosteroids: Metered Dose Inhalers CLOSED CLASS			
Alvesco[®] Arnuity[™] Ellipta[®]	Aerospan[™]		

Virginia's Medicaid Preferred Drug List (PDL)/ Common Core Formulary

7/1/25

Preferred Agents		Non-Preferred Agents	SA Criteria
Asmanex Twisthaler Asmanex HFA® QVAR® Redihaler Pulmicort Flexhaler®		<i>fluticasone HFA (gen Flovent® HFA)</i> <i>fluticasone Diskus (gen Flovent® Diskus)</i>	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
Inhaled Corticosteroids: Nebulizer Solution CLOSED CLASS			
budesonide respules		<i>Pulmicort® Respules</i>	
Nasal Steroids			
Dymista® fluticasone Rx		<i>azelastine/fluticasone nasal spray (generic for Dymista®)</i> <i>budesonide (generic for Rhinocort® Aqua)</i> <i>budesonide (generic Rhinocort® Allergy OTC)</i> <i>Children's Qnasl™</i> <i>Clarispray OTC</i> <i>Flonase®</i> <i>Flonase Sensimist (OTC)</i> <i>flunisolide</i> <i>fluticasone OTC</i> <i>ipratropium bromide spray</i> <i>mometasone (generic Nasonex®)</i> <i>Nasonex OTC</i> <i>Omnaris®</i> <i>Qnasl™</i> <i>Rhinocort Aqua®</i> <i>Rhinocort® Allergy OTC</i> <i>Ryaltris®</i> <i>Ticanase®</i> <i>triamcinolone OTC</i> <i>triamcinolone acetonide</i> <i>Veramyst®</i> <i>Xhance™</i>	

Preferred Agents	Non-Preferred Agents	SA Criteria
	Zetonna™	
Epinephrine, Self-Administered		
epinephrine 0.15 mg & 0.3 mg (authorized generic EpiPen® & EpiPen® Jr) Epipen® Epipen® Jr	Auvi-Q® epinephrine 0.15 mg & 0.3mg (generic EpiPen® and EpiPen® Jr) epinephrine 0.15mg & 0.3mg (generic Adrenaclick) Neffy® Symjepi™ (epinephrine)	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
*♦ Immunomodulators, Asthma CLOSED CLASS		
Fasenra Pen Fasenra Syringe Xolair Autoinjector Xolair Syringe Xolair Vial	Cinqair Nucala Auto-Injector Nucala Syringe Nucala Vial Tezspire Pen Tezspire Syringe	LENGTH OF AUTHORIZATIONS: see fax forms Routine PDL edits plus *♦ All Agents require the submission of a Clinical SA. Refer to fax forms below: Cinqair SA Form Fasenra SA Form Nucala SA Form Tezspire SA Form Xolair SA Form
Intranasal Antihistamines		
azelastine 0.1%	Astepro® 0.15%	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits
Leukotriene Receptor Antagonists		
montelukast tabs/chewable tabs	Accolate® Singulair® tabs/chew tabs/granules montelukast granules zafirlukast Zyflo™ Zyflo CR™ zileuton ER	LENGTH OF AUTHORIZATIONS: 1 year Routine PDL edits